# Kleen-Tex

# make more of your floor

COMMERCIAL PRODUCT GUIDE 2024

#### **Standard Entrance Mats**

Iron-Horse XL Iron-Horse Light Entrance Super-Mat Monotone EcoAbsorb PolyCotton Green-Horse Water-Horse
Kleen-Scrape
Custom Printe

PRODUCT GUIDE

KLEEN-TEX COMMERCIAL

#### d Mats

Jet-Print
Jet-Print Plus
Jet-Print Light
Jet-Print Horizon
Jet-Print Vision
Jet-Print Velour
Jet-Print Outdoor
Jet-Print Event
Jet-Print Patio
Jet-Print Big Size
Ad-Mat Premium
Bar-Mat Premium
Counter Mat
Desk Planner Mat
Keyboard Runner
Colour Palettes & Fabric Bases

#### Fitted Entrance Systems

Kleen-Fit System Brush	
Kleen-Fit System Ribbed	
Kleen-Fit System Scrub	
Kleen-Fit Concourse Tile	
Kleen-Fit Matrix Tile	

#### **Anti-Fatigue Mats**

Kleen-Comfort	50
Kleen-Comfort Safety	51
Kleen-Cushion	52
Kleen-Coil	53
Kleen-Thru Plus	54
Kleen-Scrape	55
Kleen-Foam	56
Kleen-Comfort Design	57
Kleen-Comfort Office	58
Kleen-Comfort Soft	59

#### Workplace Safety Mats

Kleen-Cable Mat	
Kleen-Cable Mat Rubber	
Kleen-Wheel Forklift Mat	
Jet-Print Hi-Vis	
Kleen-Sticky Mat	
Kleen-Cooler Mat	

#### Wet Area Mats

Kleen-Tile		
Kleen-Wave		

#### Transportation

Accessories

Airline Mat	74
Car Protector Set Premium	75
Kleen-Cable Mat EV	76
Parking Mat	77
Technical Data	78
Our Sustainability Commitment	80
Our Production	81



#### Cleaning and Washability

Key

10

11

12

13 14 15

16 17

18

19

20

24

25

26 27

28 29 30

31

32 33 34

35 36

37

38

39

62

63

64

65

66

67

70

71

82

MITED	Limited washability	3 4 60 Washable up to specified
	Tumble dry on low/medium/high temperatures	Do not tumble dry
	Lay flat to dry	Can be vacuum cleaned
	Can be cleaned using high-pressure wash cleaning	Can be cleaned using steam or spray extraction methods
$\approx$	Can be cleaned with carpet cleaning machines	

#### Affiliates and Accreditations

Kleen-Tex is a member of various laundry institutions and textile associations and is affiliated with multiple reputable promotional organisations.

MEMBER	HOHENSTEIN	OCKO TEX STANDARD 100
🔶 oeti	<b>E</b>	
NFSI V HIGH-TRACTION		DTV DEUTSCHER TEXTILATINGUNGE VIERAND
ETSA ENORMA TEXTA ERFORTE	) PS1	WIRTEX Wirtschaftsverband Textil Service e.V.
ALL STADA	bpma britis pornational membershelder association	

# Expertly manufacturing exceptional products

# Make more of your floor

For over 55 years, Kleen-Tex has been at the forefront of manufacturing floor mats and matting solutions for commercial applications, setting the industry standard for quality and performance.

Our unwavering commitment to exceptional customer service has earned us a global reputation as one of the premier manufacturers operating across five continents.

With our extensive knowledge in textiles and design, floor care, pedestrian safety, entrance systems, and specialist floor mat solutions, we possess unparalleled expertise that enables us to offer an extensive range of mats suitable for any application. These mats not only serve a functional purpose but can also be utilised to promote and create personalised messages for customers and employees, fostering a unique and engaging experience.

Our strong manufacturing presence in Europe is a source of pride, with three operational locations in Austria, Poland, and the United Kingdom, providing unrivalled pan-European services and ensuring seamless delivery and support for our valued clients. With a legacy of excellence, Kleen-Tex continues to deliver innovative and durable matting solutions that surpass expectations, cementing our position as an industry leader.



# At Kleen-Tex, we promise:



Over 55 years of experience



**Excellent customer service** and delivery



**Certification and** accreditation from world class institutes



European manufacturing



Continuous commitment to product innovation



Extensive bespoke design capabilities



Matting systems that deliver durability and longevity



Top quality launderable 

### Placement

# **Optimise Your Floors in 3 Simple Steps**

#### The Ultimate Entrance System for your Building

Did you know that on average, 80% of dirt gets into a building through its main entrance.

By strategically installing mats at key locations throughout your building, you can significantly reduce the transfer of dirt and moisture, and as a result, dramatically reduce your cleaning costs.

No one wipes their feet when entering a commercial building so the more footsteps that land on mats, the more dirt is stopped at the door.

Over the last 50 years, we have developed and advocated a three-mat system to successfully entrap dirt and moisture before it enters your building.



# ~40%

of your cleaning budget is spent on floor maintenance

30

tonnes of dirt, soot,

grit and grime enters

London's buildings

daily\*

# 2kg

of soiling is carried in to your building per 1000 people entering every week

7

cause of accidental slips and trips is tracked in dirt and moisture

94% reduction in dirt and moisture ingress by using Dust Control Mats

#### ≤90% of soiling can be stopped with

PRIMARY

stopped with correctly sized and placed matting

# The Intelligent Approach to Dirt Control




**Primary Matting:** Removes coarse grit, heavy soil and some initial moisture, reducing dirt ingress and cutting cleaning costs.



**Secondary Matting:** Absorbs some moisture and removes additional grit, protecting your staff and visitors.




**Tertiary Matting:** Soaks up excess residue to ensure footwear is as clean and dry as possible before entering the main part of the building.



# For Leisure and Hospitality

Mats are vital in the leisure and hospitality sector, serving various purposes from the classic entrance mats maintaining cleanliness and creating a positive first impression to specialist mats in various locations throughout the facility. Mats that provide comfort for employees standing for long periods, safety mats preventing accidents in areas like pools or fitness centers. Mats that maintain hygiene in food service areas. Functional mats that benefit your business, your staff and your guests.



# For Warehousing and Manufacturing

Mats in the warehousing and manufacturing sector contribute to worker safety, comfort, and floor protection. They provide anti-fatigue support, prevent slips and falls, control static electricity, resist chemicals, and safeguard against heavy equipment and machinery. Using graphic mats we can also enforce safety messages where needed. All these mat types enhance productivity, reduce workplace injuries, and help maintain a clean and efficient working environment.



# St Vais

An opportunity to make a great first impression

Monotone • Navy • 115 x 175cm

# Make an Entrance

Kleen-Tex's indoor entrance mats are a high-quality and durable solution for keeping your indoor spaces clean and safe. These mats are designed to trap dirt, dust, and moisture from shoes, effectively reducing the amount of dirt and debris that is tracked into your building.

Made from top-grade materials, our indoor entrance mats are built to last and can withstand heavy foot traffic, making them ideal for use in high-traffic areas such as lobbies, hallways, and entrances.

With a wide range of colours, sizes, styles and materials to choose from, you're sure to find the perfect mat to suit your needs and complement your interior styling.

So, whether you're looking to improve the appearance of your building or keep it cleaner and safer, Kleen-Tex indoor entrance mats are a great solution.

# **Standard Entrance Mat Ranges**

#### Indoor

Functional mats designed to serve as a barrier between the outdoors and the indoors, preventing dirt, dust, and moisture from being tracked inside, keeping floors clean and free from slips and trips.

#### Outdoor

Our Outdoor range features durable and hardwearing products capable of withstanding the varying and harsh weather conditions outdoor use can bring.



#### Eco

- It's everybody's responsibility to do as much as possible to help save our planet and preserve the environment we live in for generations to come.
- Our Eco range includes products made with sustainability in mind. These products will feature both a surface and backing material made from recycled content.



# KLEEN-TEX COMMERCIAL PRODUCT GUIDE 2024 | STANDARD ENTRANCE

MATS


# ĭ ž t ⊙ @ ž ≝ Ø @ ∷



#### Professional, washable dirt catching mat for commercial use

Durability and a high capacity for dirt capture make this mat the perfect choice for highly frequented areas such as entrances, corridors, lift doors and reception desks. A wide colour choice will ensure a great match with your interiors.

Why Choose Iron-Horse?	Technical Details	Specification
» Our best selling professional entrance mat	<b>Materials</b> » 100% high-twist nylon	HeightWeight» Approx. 11-12 mm» 2.4 kg/m²
» High dirt and moisture absorption	» 100% nitrile rubber backing	Standard
» Fully serviceable product	Applications » Entrances » Corridors	Sizes Widths Lengths » 60 x 85 cm » 85 cm » Up to 700 cm
» Slip-resistant rubber backing	» Receptions » Elevators	» 85 x 120 cm » 115 cm » 85 x 150 cm » 150 cm
» Lightfast and colour fade resistant	<b>Certifications</b> » EN 13501-1 / CFL-s1 » NFSI High-Traction	» 85 x 300 cm » 200 cm** » 115 x 175 cm
» Suitable for underfloor heating	» EN 14041 Antistatic	» 150 x 240 cm
» 5 years Manufacturers Guarantee*	Absorption: » Dirt absorption: 800 g/m <sup>2</sup>	
» Made in Europe	» Moisture absorption: 3-4 l/m²	Full Technical Data
Black Mink Black Brown Black Cedar Black St	eel Black Pearl Granite Black Blue	Black Scarlet Midnight Grey



# 

#### More pile for increased dirt and moisture trapping performance

With a higher pile than the classic Iron-Horse, this mat has an increased ability to trap dirt and moisture, delivering superior performance in areas of heavy traffic.

Why Choose Iron-Horse XL?	Technical Details	Technical Details		Specification		
» Extra luxurious professional entrance ma	» 100% high-twist nyl	on polyamide 6 surface	Height » Approx. 13-14	Wei 1mm »2.5	<b>ght</b> 54 kg/m²	
» Superior dirt and moisture absorption	» 100% nitrile rubber b	backing	Standard			
» Fully serviceable product	Applications » Entrances	» Corridors	Sizes » 60 x 85 cm	Widths » 85 cm	Lengths » Up to 700 cm	
» Slip-resistant rubber backing	» Receptions	» Elevators	» 85 x 120 cm » 85 x 150 cm	» 115 cm » 150 cm		
» Light-fast and colour fade resistant	Certifications » EN 13501-1 / CFL-s1	» NFSI High-Traction	» 85 x 300 cm » 115 x 175 cm			
» Suitable for underfloor heating	» EN 14041 Antistatic		» 150 x 240 cm			
» 5 years Manufacturers Guarantee*	Absorption: » Dirt absorption:	1000 g/m <sup>2</sup>				
» Made in Europe	» Moisture absorption:	4-5 l/m²			Full Technical Dat	
Ebony Silver Birch	Teak	١	Villow		n C A	
2 year quarantee under industrial laundry conditions.						



For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.

10

\*2 year guarantee under industrial laundry conditions. \*\*Black Pearl, Black Steel, Black Cedar, Granite and Midnight Grey only. For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.








#### Stop dirt and moisture being tracked into your building with cost effective professional mats

The perfect entrance mat for busy businesses and public buildings. Now available with a slimline backing to give you a more cost effective solution with all the benefits of our best-selling Iron-Horse.

Why Choose Iron-Horse Light?	Technical Details	Specifi	cation	
» Entry level professional entrance mat	Materials » 100% high-twist nylon poly	amide 6 surface » Approx	Weig x. 11-12 mm » 1.8	<b>ght</b> kg/m²
» High dirt and moisture absorption	» 100% nitrile rubber backing	Standar	rd Sizes	
» Washable up to 40°C	Applications » Entrances » Co	rridors » 60 x 85 » 85 x 12		
» Slip-resistant rubber backing	» Receptions » Ele	vators » 85 x 15 » 115 x 1		
» Lightfast and colour fade resistant		g/m²		
» Suitable for underfloor heating	» Moisture absorption: 3-41	/m²		
» 2 years Manufacturers Guarantee				
» Made in Europe				Full Technical Data
Black Brown Granite	Midnight Grey Bla	ck Mink Black St	teel	



# 🛐 🔪 👼 🞑 🔬 🆄 🚟 🚉 🧱

#### Reduces dirt and moisture entering your busy premises!

An extremely durable nylon mat for optimal dirt absorption in highly frequented areas. Entrance mats are perfectly suited for the busiest areas due to their high dirt absorption rate and slip-resistant rubber backing.

Why Choose Entrance?	Technical Details
» High dirt and moisture absorption	Materials » 100% high-twist nylon po
» Durable nylon surface	<ul> <li>» 100% nitrile rubber backing (15% recycled rubber cor</li> </ul>
» Made with recycled rubber content	Applications
» Slip-resistant rubber backing	» Entrances » C » Receptions » E
» Lightfast and colour fade resistant	Certifications
» Suitable for underfloor heating	» EN 13501-1 / CFL-s1 » NFSI High-Traction
» 2 years Manufacturers Guarantee	Absorption:
» Made in Europe	» Dirt absorption: 80 » Moisture absorption: 3-4

12 For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.

Or turn to Page 86

For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.

Granite

Black Brown





# V 🐼 🕑 🕼 🆄 👑 🖗 🔝



#### Dual performance; scrape and wipe - a heavy duty mat to keep your buildings even cleaner


The ultimate choice for busy areas where dirt ingress is high. This dirt-catching mat has a unique double feature; heavy-duty monofilament fibres remove coarse dirt whilst the high-twist, fine, heat-set fibres, absorb and keep fine dust, dirt and moisture in the mat.

Why Choose Super-Mat?	Technical Details		Specificatio	n	
» Dual performance; scrape and wipe	Materials » 100 % regenerated E	conyl® nylon surface	Height » Approx. 10 mr	<b>Wei</b> m » 3.1	<b>ght</b> Lkg/m²
» Made from Econyl® regenerated nylon	» 100% nitrile rubber b	acking	Standard		
» Fully serviceable product	Applications » Entrances	» Corridors	Sizes » 60 x 85 cm	Widths » 85 cm	<b>Lengths</b> » Up to 700 cm
» Slip-resistant rubber backing	» Receptions	» Elevators	» 85 x 120 cm » 85 x 150 cm	» 115 cm » 150 cm	
» Light-fast and colour fade resistant	Certifications » EN 13501-1 / CFL-s1	» NFSI High-Traction	» 85 x 300 cm » 115 x 175 cm		
» Suitable for underfloor heating	» EN 14041 Antistatic		» 150 x 240 cm		
» 5 years Manufacturers Guarantee*	Absorption: » Dirt absorption:	950 g/m²			
» Made in Europe	» Moisture absorption:	3-4 l/m²			Full Technical Data
			ST 1. 7 24 3.		

Heather Grey



14



# V 🖾 😳 🙆 🖄 🔛

Slate

#### Professional functional mats in a pure vibrant colour


Developed to stand up to the toughest demands in foot traffic whilst maintaining a bright and vibrant colour. The surface texture removes dirt and moisture from passing shoes and retains it between the fibres.

Why Choose Monotone?	Technical Details
» Contemporary colour selection	Materials » 100% high-twist nylon po
» High dirt and moisture absorption	» 100% nitrile rubber backir (15% recycled rubber con
» Fully serviceable product	Applications
» Slip-resistant rubber backing	»Entrances »C »Receptions »El
» Lightfast and colour fade resistant	Certifications
» Suitable for underfloor heating	» EN 13501-1 / CFL-s1 » NFSI High-Traction
» 5 years Manufacturers Guarantee*	Absorption:
» Made in Europe	» Dirt absorption: 800 » Moisture absorption: 3-4



\*2 year guarantee under industrial laundry conditions. For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.







# V 🞯 🕑 🔪 🙆 🖄 🕮 🛞 🧱



#### Super absorbent, quick drying and highly durable, eco-friendly entrance mat

A professional, functional entrance mat engineered to reduce it's impact on the environment. Using **Renycle™ 50** yarn, production of EcoAbsorb saves energy, reduces CO<sub>2</sub> emissions, water consumption and waste material, compared to traditional cotton mats.

Why Choose EcoAbsorb?	Technical Details		Specification	n	
» Unparalleled drying capability	Materials » A combination of Mic	ro Nylon and High-Twist	Height » Approx. 15 mr	Weig m »28	<b>jht</b> 5 kg/m²
» Dries 37% faster than a cotton mat		ide 50% recycled yarn	Standard		
» Highly resilient and durable pile	Applications	5	Sizes » 60 x 85 cm	Widths » 85 cm	Lengths » Up to 700 cm
» Made from Renycle® 50% recycled nylon	» Entrances » Receptions	» Corridors » Elevators	» 85 x 120 cm » 85 x 150 cm		
» 45% less energy used in production	Certifications		» 85 x 300 cm » 115 x 175 cm	» 200 cm	
» Machine washable up to 60°C	» EN 13501-1 / CFL-s1	» EN 14041 Antistatic	» 150 x 240 cm		
» 5 years Manufacturers Guarantee*	Absorption: » Dirt absorption:	1100 g/m <sup>2</sup>			
» Made in Europe	» Moisture absorption:	5-6 l/m²		- 1	Full Technical Data
and the second se			i de la c	All Carl	
	1940 - M		Mr. 43	· Sec	58 HE



# 

Ultra absorbent 50% cotton, 50% polyester washable floor mats

An ideal barrier against moisture. Rich cotton fibres absorb moisture and strong polyester fibres hold and hide the dirt until the mat can be cleaned. Perfect for the busy entrance area and a great solution where dirt is often walked into buildings.

Why Choose PolyCotton?	Technical Details	Specification
» Extremely high water absorbency » Dual fibre pile for improved performance	Materials » 50% cotton / 50% polyester » 100 % nitrile rubber backing	Height Weight » Approx. 13 mm » 2.8 kg/m <sup>2</sup>
» Fully serviceable product	Applications » Entrances » Corridors	SizesWidthsLengths> 60 x 85 cm> 85 cm> Up to 700 cm
» Slip-resistant rubber backing	» Receptions » Elevators	» 85 x 120 cm » 115 cm » 85 x 150 cm » 150 cm
» Light and colour resistant	Certifications » EN 13501-1 / EFL-s1	» 85 x 300 cm » 115 x 175 cm
» Suitable for underfloor heating	Absorption:	» 150 x 240 cm
» 5 years Manufacturers Guarantee*	» Dirt absorption: 800 g/m <sup>2</sup> » Moisture absorption: 4-5 l/m <sup>2</sup>	
» Made in Europe		Full Technical Data
Black White B	lack Grey Black E	Brown

Mineral Grey

16

\*2 year guarantee under industrial laundry conditions. For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.






# V 🖸 🖸 🕼 🖄 V 🖗 🚟 🚉 🔅



#### The green choice: made from recycled PET plastics, a sustainable and durable mat

This is the environmentally friendly choice for keeping buildings clean. With a pile made from recycled PET bottles and PVC free, the Green-Horse mat has great dirt capture properties, fast drying times and a higher heat resistance.

Why Choose Green-Horse?	Technical Details	Specification
» Pile made from 100% recycled PET material	Materials » 100% recycled PET plastic	HeightWeight» Approx. 10-11 mm» 2.65 kg/m²
» Fast drying time	» 100% nitrile rubber backing	Standard
» Fully serviceable product	Applications » Entrances » Corridors	SizesWidthsLengths» 60 x 85 cm» 85 cm» Up to 700 cm
» Slip-resistant rubber backing	» Receptions » Elevators	» 85 x 120 cm » 115 cm » 85 x 150 cm » 150 cm
» Light-fast and colour fade resistant	Certifications » EN 13501-1 / CFL-s1 » EN 14041 Antistatic	» 85 x 300 cm » 115 x 175 cm
» Suitable for underfloor heating	» NFSI High-Traction	» 150 x 240 cm
» 5 years Manufacturers Guarantee*	Absorption: » Dirt absorption: 800 g/m <sup>2</sup>	
» Made in Europe	» Moisture absorption: 3-4 l/m²	Full Technical Data
and the second		



# 

Black

Amazing water retention capacity from this high-profile rubber edged mat This mat comes with a containment border capable of holding up to 4.5 litres of water per square metre. With a water dam rubber border to aid water retention, the Water-Horse is designed to remove dirt, grit and water from footwear and guarantees slip resistance.

Why Choose Water-Horse?	Technical Details
» Enormous water retention capacity	Materials » 50% polyester and 50% polypropy
» Extremely durable polypropylene surface	» 50% polyester and 50% polypropy surface (50% recycled content) » Embossed nitrile rubber core and
» Embossed waffle design	(15% recycled rubber content)
» Made with recycled materials	Applications »Entrances
» Slip-resistant rubber backing	» Suitable for Outdoor Use
» High profile rubber edge aiding water retention	Certifications » EN 13501-1 / EFL-s1 » NFSI High
» 5 years Manufacturers Guarantee	Absorption:
» Made in Europe	» Dirt absorption: 1000 g/m <sup>2</sup> » Moisture absorption: 4-5 l/m <sup>2</sup>
NAME ARCENCE AND AND THE FR	

Smokey Black

18


间湖里

For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.



	Specification	
pylene	<b>Height</b> » Approx. 7 mm	<b>Weight</b> » 3.2 kg/m²
nd backing	Standard Sizes » 60 × 90 cm » 85 × 120 cm » 85 × 150 cm » 115 × 175 cm » 115 × 240 cm	
gh-Traction		
n²		Full Technical Data
	land for the second second Second second second Second second	

Brown



# Ì ₩ 🖉 🖸 🗕 🙆 🖄 🕸 🕮 🖗 🚞

# 123

#### Hard wearing, 100% rubber, multi-purpose mat

An all purpose, hard-wearing rubber mat that's oil, fat, chemical, solvent, heat and cold resistant, and can be used anywhere that needs a strong scraper profile whilst having a castellated pattern that offers anti-fatigue properties.

Why Choose Kleen-Scrape?	Technical Details	Specification
» 100% nitrile rubber mat	Materials » 100% nitrile rubber	Height Weight » Approx. 5.5 mm » 4.2 kg/m <sup>2</sup>
» Suitable for use indoors or outdoors	(15% recycled rubber content)	Standard Sizes
» Slip resistant rubber even when wet	Applications »Entrances	Ribbed Pattern » 75 x 85 cm
» Oil and chemical resistant	» Production Lines » Prolonged standing work positions	» 85 x 150 cm » 85 x 300 cm
» Anti-fatigue properties	» Workstations	» 115 x 175 cm
» 5 years Manufacturers Guarantee*	Certifications » EN 13501-1 / EEI - s1	Chequerboard Pattern
» Made in Europe	» EN 14041 Antistatic » NFSI High-Traction	» 85 x 150 cm » 115 x 175 cm
		Full Technical Data

Chequerboard

#### Ribbed

20

\*2 year guarantee under industrial laundry conditions. For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.

# **Highly Recommended**

"FC United of Manchester are delighted with the mats supplied by Kleen-Tex. The mats are very bright and visual and have created a warm and welcoming environment as soon as you step inside Broadhurst Park Stadium.

We have received lots of feedback from our supporters and visitors coming to the stadium to ask if we can create smaller replica mats, we can sell in our club shop!

We would like to thank Kleen-Tex for supplying these stunning mats and would highly recommend to other businesses and venues."

**F. Fielding** Commercial Manager, FC United of Manchester

# **Excellent Statement**

"The Jet Print logo mats produced by Kleen-Tex are of the highest quality. The mats are durable, effective, and hardwearing, whilst the graphics are sharp and vibrant, making an excellent statement for any business' public image."

## J. Pritchard

Ginger Mats Limited



## **Customer Testimonials**



# **Highest Standard**

"We have been working with Kleen-Tex for nearly 20 years and always found the quality of mats to be of the highest standard, matched only by their ever efficient service level".

#### L. Brownless

Absolute Hygiene Solutions

# Custom Printel Mats

Tap into the commercial power of your under-used surfaces

Jet-Print Outdoor

# Make a Statement

With Kleen-Tex's custom printed mats, you have the opportunity to transform empty spaces into a dynamic and effective marketing tool. Not only do our products offer effective protection against dirt, dust, and moisture, but they also serve as a powerful platform for conveying important messages to your customers, harnessing untapped potential.

When someone enters a room or building, their eyes instinctively look down to assess the safety of

their surroundings. This means that with a custom printed mat, you can reach up to 99% of people who enter your premises with a memorable and impactful message. Whether it's promoting your brand, showcasing special offers, or warning of potential hazards, the possibilities are endless.

With Kleen-Tex's state-of-the-art printing technologies and exceptional colour reproduction, you can be sure that your custom printed mat will be eye-catching, innovative and effective.

# **Custom Printed Ranges**

#### Indoor

Bold and vibrant mats that can be personalised with your unique artwork or message to add a touch of individuality to your entrance.

AIBEN

#### Large Area

Versatile mats specifically designed for large-scale advertising. Durable with a clear print quality, Large Area mats are suitable for exhibition booths, events or promotion.



# WAJBELL Invest smart


#### Outdoor

Tough and lasting floor coverings specifically designed to be located where the outdoor elements can degrade lower quality products.

#### Work Surface

For the highest quality printed image on a functional advertising mat, our Work Surface range offer pinsharp clarity with no compromise.

# Jet-Print



# ☞ ⊙ <u>ﷺ</u> ∰ **ڲ ₭ @** ≝ Ø @ ::::



Vivid, bright coloured logos and graphics make Jet-Print an excellent eye-catcher, great for promotional use and placement at the point of purchase. It also performs perfectly as a dust control mat making it ideal for business entrances and reception areas.

Why Choose Jet-Print?	Technical Details	Specification
» Fully customisable with your own designs » High dirt and moisture absorption	Materials » 100% high-twist nylon polyamide 6.6 surface » 100% nitrile rubber backing	HeightWeight» Approx. 9 mm» 2.48 kg/m²
» Durable nylon surface	Applications     » Entrances     » Point of Sale	StandardSizesWidths» 60 x 85 cm» 60 cm» 00 x 85 cm» 60 cm
<ul> <li>» Pantone, HKS and RAL matching available*</li> <li>» Custom shapes available*</li> </ul>	» Advertisement » Corporate identity Certifications	» 85 x 120 cm » 75 cm » 85 x 150 cm » 85 cm » 85 x 300 cm » 115 cm
» Slip-resistant rubber backing » Light-fast and colour fade resistant	» EN 13501-1 / CFL-s1 » NFSI High-Traction » EN 14041 Antistatic	» 115 x 175 cm » 150 x 240 cm » 200 cm
» 5 years Manufacturers Guarantee**	<b>Colour</b> » See page 39 for Jet-Print palette details	
» Made in Europe		Full Technical Data






Feel the difference, custom printed mats with a deeper pile for that extra luxurious finishing touch

You can now get our famous custom designed Jet-Print mats with the added bonus of a rich, deeper pile surface. Impress your guests with a luxurious entrance mat where you can actually feel the difference under foot.

Why Choose Jet-Print Plus?	Technical Details
» Plush and durable nylon surface	<b>Materials</b> » 100% high-twist nylon polyamide 6.6 surfi
» Superior dirt and moisture absorption	» 100% nitrile rubber backing
» Fully customisable with your own designs	Applications »Entrances »Point of Sale
» Pantone, HKS and RAL matching available*	» Advertisement » Corporate Identity
» Custom shapes available*	Certifications
» Slip-resistant rubber backing	» EN 13501-1 / CFL-s1 » NFSI High-Tractio » EN 14041 Antistatic
» Light-fast and colour fade resistant	Colour
» 5 years Manufacturers Guarantee**	» See page 39 for Jet-Print palette details
» Made in Europe	



Or turn to Page 86

2

3

\*Available for an additional surcharge \*\*2 year guarantee under industrial laundry conditions. For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.

24

# 2 3

	opecification	<u>-</u>	
olyamide 6.6 surface ing	Height » Approx. 10 mr Standard	Weigh m » 2.75	
Point of Sale Corporate Identity NFSI High-Traction	Sizes » 60 × 85 cm » 85 × 120 cm » 85 × 150 cm » 85 × 300 cm » 115 × 175 cm » 150 × 240 cm	Widths » 60 cm » 75 cm » 85 cm » 115 cm » 150 cm » 200 cm	<b>Lengths</b> » Up to 700 cm

Specification






# 



#### Create enchanting advertisements with these printed dirt catching mats

These mats are printed using exactly the same process as Jet-Print, but the pile and rubber have been slightly reduced to make the mat lighter to handle and more economical to purchase, whilst still offering great print quality.

Why Choose Jet-Print Light?	Technical Details	Specification
<ul> <li>» Entry level custom printed mat</li> <li>» High dirt and moisture absorption</li> <li>» Fully customisable with your own designs</li> <li>» Pantone, HKS and RAL matching available*</li> <li>» Custom shapes available</li> <li>» Slip-resistant rubber backing</li> <li>» Light-fast and colour fade resistant</li> </ul>	Materials         » 100% high-twist nylon polyamide 6.6 surface         » 100% nitrile rubber backing         Applications         » Entrances       » Events         » Point of Sale       » Advertisement         » Corporate Identity         Certifications         » EN 13501-1 / CFL-s1       » OEKO-TEX Certified         Colour	Height     Weight       » Approx. 7 mm     » 1.9 kg/m²       Standard     Lengths       Sizes     Widths     Lengths       » 60 x 85 cm     » 60 cm     » Up to 700 cm       » 85 x 120 cm     » 75 cm     » 85 x 150 cm       » 85 x 150 cm     » 85 cm     » 115 cm       » 115 x 175 cm     » 150 cm     » 150 cm       » 150 x 240 cm     » 200 cm     > 100 cm
» 2 years Manufacturers Guarantee » Made in Europe	» See page 39 for Jet-Print palette details	



#### 

#### Make more of your corridors and large spaces

Turn your clients into stars with extra-long red carpets custom designed with your brand or promotional graphics. Runners up to 20m, and beyond when installed end to end. Providing many new creative possibilities for corridors, large spaces and entrances.

Why Choose Jet-Print Horizon?	Technical Details	Specification
» Extra long runner mat	Materials » 100% high-twist nylon polyamide 6.6 surface	Height Weight » Approx. 10 mm » 3.8 kg/m <sup>2</sup>
» High dirt and moisture absorption	» 100% ringi backing	» Approx. 10 mm » 5.8 kg/m
» Plush and durable nylon surface	Applications	Standard Widths » 100 cm including side borders
» Fully customisable with your own designs	» Entrances » Events » Advertisement » Corporate Identity	» 160 cm including side borders » 200 cm including side borders
» Heavyweight durable vinyl backing	» Corridors	Bespoke Length
» Pantone, HKS and RAL matching available*	Certifications » EN 13501-1/BFL-s1	» Up to 2000 cm
» Light-fast and colour fade resistant		
» 2 year guarantee	<b>Colour</b> » See page 39 for Jet-Print palette details	
» Made in Europe		Full Technical Data

26

\*Available for an additional surcharge For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.

# **Jet-Print Horizon**



Indoor

28




# ☞ ⊙ ฿ ๙ ๏ 类 ≝ ⊜ ∷

#### A velvet-like surface offers amazing printing results for your individual logo mat

Visually this mat is hard to beat, the Jet-Print Vision offers a fine surface texture that is ideal for bespoke printing such as logos and designs with fine or intricate detail.

Why Choose Jet-Print Vision?	Technical Details	Specification	
<ul> <li>» Excellent print clarity</li> <li>» Fully customisable with your own designs</li> <li>» Custom shapes available*</li> <li>» Slip-resistant rubber backing</li> <li>» Pantone, HKS and RAL matching available*</li> <li>» Light-fast and colour fade resistant</li> <li>» Suitable for underfloor heating</li> <li>» 5 years Manufacturers Guarantee**</li> <li>» Made in Europe</li> </ul>	Materials » 100% straight-set nylon polyamide 6.6 surface » 100% nitrile rubber backing Applications » Events » Point of Sale » Advertisement » Corporate Identity Certifications » EN 13501-1 / CFL-s1 Colour » See page 39 for Jet-Print palette details	» 60 x 85 cm » 85 x 120 cm	Widths         Lengths           » 60 cm         » Up to 700 cm           » 75 cm         » 85 cm           » 115 cm         » 150 cm



#### $\widetilde{40^{\circ}}$

#### Eye-catching and washable promotion mat with unique and realistic print

Due to the smooth and level velour material, this mat enables you to print in a precise and detailed manner with amazing colour quality. The Jet-Print Velour mat is perfect for creating effective, eye-catching presentations at promotional sales events and exhibitions.

Why Choose Jet-Print Velour?	Technical Details	Specification
» Fine nylon velour surface » Excellent print clarity	Materials » 100% polyamide 6 surface » 100% nitrile rubber backing	Height Weight » Approx. 6 mm » 1.7 kg/m <sup>2</sup>
<ul> <li>» Slip-resistant rubber backing</li> <li>» Fully customisable with your own designs</li> <li>» Pantone, HKS and RAL matching available*</li> </ul>	Applications » Events » Advertising » Corporate Identity	Standard         Widths         Lengths           >> 60 × 85 cm         >> 60 cm         >> Up to 700 cm           >> 85 × 120 cm         >> 75 cm         >> 85 cm
» Custom shapes available* » Light-fast and colour fade resistant » Suitable for underfloor heating	<b>Colour</b> » See page 39 for Jet-Print palette details	» 85 x 300 cm » 115 cm » 115 x 175 cm » 150 cm » 150 x 240 cm » 200 cm
» 2 years Manufacturers Guarantee » Made in Europe		
» Made in Europe		Full Technical Dat

\*Available for an additional surcharge \*\*2 year guarantee under industrial laundry conditions. For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.

2 3

\*Available for an additional surcharge For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.

#### **Jet-Print Velour**



2




# 



#### Position your logo, graphics or advertising message in the great outdoors

Practically everyone is familiar with the scratchy-fibre type of outdoor grass mats. Now they are no longer limited to green, as the innovative Jet-Print Outdoor allows you to step out into a world of full colour.

Why Choose Jet-Print Outdoor?	Technical Details	Specification
<ul> <li>» Specifically developed for outdoor use</li> <li>» Fully customisable with your own designs</li> <li>» Coarse scraping action</li> <li>» Durable nylon grass effect surface</li> <li>» Pantone, HKS and RAL matching available*</li> <li>» Custom shapes available*</li> <li>» Light-fast and colour fade resistant</li> <li>» 2 years Manufacturers Guarantee</li> </ul>	Materials » 100% monofilament PA 6 surface » 100% nitrile rubber backing Applications » Entrances » Events » Advertisement » Corporate Identity » Suitable for Outdoor Use Certifications » EN 13501-1 / BFL-s1 Colour » See page 39 for Jet-Print palette details	HeightWeight» Approx. 8 mm» 3.6 kg/m²StandardWidthsWidthsLengths» 50 cm» Up to 700 cm» 85 cm» 115 cm» 150 cm» 200 cm
» Made in Europe		Full Technical Data





#### Stand out from the crowd with superb graphic clarity

Stand out in the crowd with our unique "Signs on the floor", perfect for events and exhibitions. Our advanced printing ability allows for excellent image reproduction and superb graphic clarity.


Why Choose Jet-Print Event?	Technical Details
» 100% velour and flexible latex combination	Materials » 100% polyamide 6 surface
» Excellent print clarity	» 100% latex WV backing
» Lightweight and versatile	Applications
» Fully customisable with your own designs	» Corporate Identity
» Custom shapes available*	<b>Colour</b> » Available in RGB 1998 colo
» PVC-free	» Avaliable in KGD 1998 cold
» Made in Europe	

\*Available for an additional surcharge For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to cor

\*Available for an additional surcharge For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.

	Specification	
e	Height » Approx. 5 mm	<b>Weight</b> » 1.1 kg/m²
Advertisement	<b>Standard</b> Widths » Up to 200 cm	<b>Lengths</b> Up to 2000 cm
olour palette		
		Full Technical Data
mmercial tolerance.		Or turn to Page 86

# **Jet-Print Patio**



#### 30°



#### Surprise your customers and attract attention with this unique give-away

Jet-Print Patio is a very versatile product, whilst highly suited as a give-away item this mat can also be used to enhance corporate identity, attract attention at the point of sale and create eye-catching advertisements.

Why Choose Jet-Print Patio?	Technical Details	Specification
<ul> <li>» Affordable custom printed mat solution</li> <li>» Individual, photo-realistic print quality</li> <li>» Great promotional giveaway product</li> <li>» Spot-colours according to Pantone colours</li> <li>» Fully customisable with your own designs</li> <li>» Custom shapes available*</li> <li>» Made in Europe</li> </ul>	Materials » 100% polyamide 6 surface » 100% vinyl backing Applications » Events » Point of Sale » Advertisement » Corporate Identity » Giveaways Certifications » EN 13501-1 / CFL-s1 Colour » Spot-colour selection according to Pantone » Photorealistic printing available	Height » Approx. 5 mm     Weight » 2.4 kg/m²       Standard Widths » 39 cm     Lengths » Up to 2000 cm       » 45 cm     » Up to 2000 cm       » 58 cm     » 100 cm       » 100 cm     » 200 cm



# 

#### Draw attention to big area events whilst ensuring successful brand awareness

Jet-Print Big Size is the perfect solution for any company or brand which aims to increase awareness and recognition. Ideally suited for exhibition booths, events or promotion areas in shops or department stores.

Why Choose Jet-Print Big Size?	Technical Details	Specification
» Huge printable area mat	Materials » 100% polyamide 6 surface	Height » Approx. 6 mm
» Fully customisable with your own designs	» Available with textile or easy lift backing	Weight
» Advanced nylon surface	Applications » Events » Point of Sale	» Textile backing: 1.65 kg/sqm » Easy Lift backing: 2.67 kg/sqm
» Custom shapes available*	» Advertisement » Corporate Identity	Standard
» PVC-free	Certifications » EN 13501-1 / CFL-s1	WidthsLengths» Up to 400 cmUp to 4000 cm
» Made in Europe	Colour	
	» Colour selection according to Pantone or RAL (max. 12 colours per design)	
		Full Technical

\*Available for an additional surcharge For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.





# ☞ 🗖 💽 🔪 🗷 🛃 🚔 🚔



#### Display your advertising message with photo-realistic precision at the point of purchase

The Ad-Mat is especially effective for increasing the level of attention or emotionally charging your message at the point of sale - perfect for promotions and events.

Why Choose Ad-Mat Premium?	Technical Details		Specification	
» Floor level advertising » Point of sale and event opportunities	<b>Materials</b> » 100% knitted polye » 100% nitrile rubber		0.9 mm Rubber Back Height » Approx. 1.25 mm	<b>ting</b> Weight » 1.25 kg/m²
» Photorealistic CMYK print clarity	Applications		1.35 mm Rubber Bad	cking
» Fully customisable with your own designs	» Events » Advertisement	» Point of Sale » Corporate Identity	Height » Approx. 1.70 mm	Weight » 1.78 kg/m <sup>2</sup>
» Custom shapes available*	Colour		Standard Sizes	
» Machine washable up to 40°C	» Full colour CMYK su	ublimation print	» 40 x 60 cm » 50 x 75 cm	» 85 x 150 cm » 115 x 180 cm
» Slip-resistant rubber backing			» 60 x 85 cm	» 115 x 200 cm
» 1 year Manufacturers Guarantee**			» 85 x 120 cm	» 150 x 200 cm
» Made in Europe				Full Techni



I Technical Dat







#### Deliver your message in the right place at the right time

This professional bar runner mat has the highest picture definition available on a functional mat. With full CMYK photo-real printing quality, brands, logos and marketing messages are displayed in all their intended glory with no compromise on clarity.

Why Choose Bar-Mat Premium?	Technical Details
<ul> <li>» Bar top advertising</li> <li>» Protects bar top and absorbs spills</li> <li>» Photorealistic CMYK print clarity</li> <li>» Fully customisable with your own designs</li> </ul>	Materials » 100% knitted polyester su » 100% nitrile rubber backii Applications » Events » P » Advertisement » C » Giveaways » M
<ul> <li>» Custom shapes available*</li> <li>» Machine washable up to 40°C</li> <li>» Slip-resistant rubber backing</li> <li>» 1 year Manufacturers Guarantee**</li> <li>» Made in Europe</li> </ul>	» Full colour CMYK sublima



\*Available for an additional surcharge \*\*1 year warranty against manufacturing defects. For all mats we reserve the right of production-related tolerance of +/- 5 % in size. Colours are subject to commercial tolerance.

U KLEEN-TEX COMMERCIAI

34

# Work Surface **Bar-Mat Premium** 20 prese

#### urface ing

Point of Sale Corporate Identity Merchandising

ation print

#### Specification

0.9 mm Rubber Backing Height » Approx. 1.25 mm

Weight » 1.25 kg/m²

1.35 mm Rubber Backing Height Weight » Approx. 1.70 mm

» 1.78 kg/m²

Standard Sizes » 23 x 43 cm » 24 x 89 cm » 19 x 60 cm

Height

**Custom Sizes** » On request



#### Work Surface

#### **Counter Mat**

36





#### Capture attention at the point of sale

Our Counter Mat is perfect for capturing the attention of customers or patrons right at the point of payment or customer service desk. With pin-sharp printing capabilities, you can use this mat to upsell a product or make customers aware of other services you may offer.

Why Choose Counter Mat?	Technical Details	Specification
» Counter top advertising	Materials » 100% knitted polyester surface	0.9 mm Rubber Backing Height Weight
» Point of purchase and upsell opportunities	» 100% nitrile rubber backing	» Approx. 1.25 mm » 1.25 kg/m <sup>2</sup>
» Photorealistic CMYK print clarity	Applications	1.35 mm Rubber Backing
» Fully customisable with your own designs	» Events » Point of Sale » Advertisement » Corporate Identity	HeightWeight» Approx. 1.70 mm» 1.78 kg/m²
» Custom shapes available*	» Giveaways	Standard Sizes
» Machine washable up to 40°C	Colour » Full colour CMYK sublimation print	» 23 × 43 cm » 19 × 60 cm » 24 × 89 cm » 40 × 60 cm
» Slip-resistant rubber backing		Custom Sizes
» 1 year Manufacturers Guarantee**		» On request
» Made in Europe		Full Technical Data



	Work Surfa
PULL COLOUP	Desk Planner Ma
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	
MAY     MAY     JUNE     JUNE     JUNE     JUNY     AUGUST       18     1     2     3     4     5     6     7     8     9     10     11     12     23     4     25     26     27     28       19     6     7     8     9     10     11     12     23     4     5     6     7     8     9     10     11     12     3     4     5     6     7     8     9     10     11     12     3     4     5     6     7     8     9     10     11     12     3     4     5     6     7     8     9     10     11     12     1     1     2     3     4     5     6     7     8     9     10     11     12     1     1     1     2     3     4       20     13     14     15     16     17     18     19     20     21     22     20     11     12     13     14     15     16     17     18     19     20     21     22     30     11     12     13     14     15     16     17     18     19	Turtle Mat
SEPTEMBER         OCTOBER         NOVEMBER         DECEMBER           WK         M         T         W         F         S         S         WK         M         T         W         T         F         S         S         WK         M         T         W         T	CASANETA
	2024
-	



#### Get creative with desktop space

Slip-resistant nitrile rubber backing will minimise keyboard slip and our stay flat, slimline construction gives a low, non-intrusive profile. Our Desk Planner Mats are a great way to reinforce your brand whilst effectively helping the user plan their week.

Why Choose Desk Planner Mat?	Technical Details		Specification	
» Great promotional giveaway product » Smooth and stable surface for mouse control	Materials » 100% knitted polyester sur » 100% nitrile rubber backir		<b>0.9 mm Rubber Back</b> Height » Approx. 1.25 mm	<b>ing Weight</b> » 1.25 kg/m²
» Photorealistic CMYK print clarity	Applications		1.35 mm Rubber Bac	king
» Fully customisable with your own designs		oint of Sale orporate Identity	Height » Approx. 1.70 mm	Weight » 1.78 kg/m²
Custom shapes available*	» Giveaways		Standard Sizes	
Machine washable up to 40°C	<b>Colour</b> » Full colour CMYK sublimat	ion print	» 23 x 43 cm » 19 x 60 cm	» 24 x 89 cm » 40 x 60 cm
Slip-resistant rubber backing				
1 year Manufacturers Guarantee**			<b>Custom Sizes</b> » On request	
Made in Europe				Full Technical Data
				192 - 24 AM

# at

ace





#### Bring your brand or product into focus

Featuring a clean, consistent surface for ease of use and a slip-resistant base for your mouse and keyboard. Our Keyboard Runners are a great way to improve a desktop setup for work or play.

Why Choose Keyboard Runner?	Technical Details	Specification
» Functional merchandise opportunities » Smooth and stable surface for mouse control	<b>Materials</b> » 100% knitted polyester surface » 100% nitrile rubber backing	0.9 mm Rubber Backing Height Weight » Approx. 1.25 mm » 1.25 kg/m <sup>2</sup>
<ul> <li>» Photorealistic CMYK print clarity</li> <li>» Fully customisable with your own designs</li> <li>» Custom shapes available*</li> <li>» Machine washable up to 40°C</li> <li>» Slip-resistant rubber backing</li> <li>» 1 year Manufacturers Guarantee**</li> </ul>	Applications         » Events       » Point of Sale         » Advertisement       » Corporate Identity         » Giveaways         Colour         » Full colour CMYK sublimation print	1.35 mm Rubber Backing Weight » Approx. 1.70 mm» Approx. 1.70 mm» 1.78 kg/m²Standard Sizes » 23 x 43 cm » 19 x 60 cm» 24 x 89 cm » 40 x 60 cmCustom Sizes » On request
» Made in Europe		Full Technical Data

# **Colour Palettes**

Kleen-Tex's 66-colour Jet-Print palette offers an extensive range of vibrant and eye-catching hues allowing for unparalleled customisation and design possibilities. With an impressive selection of colours, ranging from subtle neutrals to bold and dynamic, we have every colour needed to reflect your vision. Our advanced Jet-Print technology ensures exceptional colour accuracy and sharpness, resulting in stunning floor coverings that are aesthetically pleasing whilst remaining durable and functional.



# **Jet-Print Fabric Bases**

Our Custom Printed products range features a variety of surface finishes which will accept colour slightly differently depending on the material. It's important to thoroughly check your colours before placing your order to ensure a strong contrast between different elements of your design. Additionally, if you're uncertain about how the colours will appear on the specific surface material, we advise that you check a physical sample. These can be ordered at any time from our Customer Service team.



605	606	607	608	609
615	616	617	618	619
625	626	627	628	629
635	636	637	638	639
645	646	647	648	649
655	656	657	658	659
665	666			







# High performance systems for commercial applications

Kleen-Fit Matrix Til

# **Elevate Your Entrance**

Step into the world of premium entrance systems with Kleen-Tex. Our high-performance entrance systems are engineered to perfection and built to last, making them the ultimate solution for any high-traffic public entrance.

Whether it's tile systems or grid systems, we've got you covered with a variety of textures, colours, and solid rubber finishes to choose from. And the best part? All our systems can be customised to meet your specific needs and design requirements. At Kleen-Tex, we're not just about creating durable and functional entrance systems, but also about making a positive impact on the environment. That's why we're dedicated to reducing plastic waste while helping professionals take their commercial projects to the next level of environmental efficiency.

So, whether you're looking to enhance the safety and durability of your public entrances or make a sustainable choice, look no further than Kleen-Tex.

# **Fitted Entrance Products**

#### Grid System

Efficient entrance systems that consistently remove foot-borne dirt and moisture from high traffic areas whilst simultaneously providing the highest aesthetic standard.

#### Tile System

Easy to install and can be cut to any size, our tile systems are perfect for many commercial applications where dirt removal is a high priority.

# Did you know?

 According to the Health and Safety Executive (HSE), 90% of slip accidents in public buildings happen as a result of slipping on wet floors. An effective system can reduce the amount of dirt and moisture tracked into a building by up to 90%, helping to reduce such slip accidents.

# Kleen-Fit System

# **Resilient Matting Systems for Fitted Wells and Recesses**

Manufactured in Europe, our Kleen-Fit System profiles feature a resilient stainless steel wire construction that is suitable for installation throughout entrances that experience up to the heaviest of foot traffics.


The fitted entrance system is available with three types of inserts that can be tailored or even combined to meet specific project requirements, whilst delivering optimum performance.

#### Why Choose Kleen-Fit System?

- A complete fitted entrance system
- Designed for busy entrance areas
- Extremely hard wearing
- 3 insert types, each in 3 colour options
- Mix and match types and colours
- 3 recess depths available
- Frames and ramps also available
- CFL-s1 fire certification
- National Institute of Hygiene certification
- 3 year Manufacturers Guarantee
- Made in Europe

# **Unique Combinations**

Our individual Kleen-Fit System modules can be combined to create new combinations with unique properties to ensure your entrance solution services your need as effectively as possible.



indoor use only.

Kleen-Fit System Brush - Designed to absorb moisture, this abrasion and compression resistant fibre fill is suitable for indoor use only.

Kleen-Fit System Ribbed - Made with tough, hard rubber this robust fill is resistant to moisture, corrosion and varying temperature extremes. Suitable for indoor or outdoor use.

Kleen-Fit System Scrub - Constructed of strong bristles that actively scrape debris from passing foot traffic. Resistant to moisture, corrosion and varying temperature extremes and also suitable for indoor or outdoor installation.



# 

#### Welcome guests with a clean and stylish entrance

A highly durable tread surface mounted within an aluminium frame. The abrasion and compression resistant fiber fill will absorb any moisture, keeping your floors clean and dry. Kleen-Fit System Brush is designed for indoor use only.

Why Choose System Brush?	Technical Details
» Entry level entrance system solution	Materials
» Effective cleaning function	» Looped polypropylene » Aluminium with stainless s
» High foot traction	Applications
» Hardwearing finish	» Shopping centres » L » Public buildings » H
» Abrasion and crush resistant	» Offices
» Bespoke manufacturing to specification	Certifications » ITB NJ-5/KR/1106/09 » 1
» 3 years Manufacturers Guarantee	» 48/09/BB91133001 » C
» Made in Europe	» DIN 51130:2014-02:R11
TO SE HUND SANDATUN SANDATUN SANDATI SE UTATI TA SANDATUN SANDAS SANDA 19. NA SAN ANG MATANG SANTAS SANTAS	Contraction of the second s The second s
and the second	

Brown

indoor use only.

Black



#### Specification

steel wire

- eisure facilties Hospitals
- 10/11/BB91104001 CFL-s1
- **Height** » Low Profile 12 mm » Medium Profile 17 mm » High Profile 22 mm
- Widths
- » Made to order no maximum width


#### Length

» Made to order - no maximum length









# 

#### Aluminium grid system to fit any space

Made with tough, hard rubber this robust fill is resistant to moisture, corrosion and varying temperature extremes. Suitable for indoor and outdoor use.

Why Choose System Ribbed?	Technical Details	Specification
<ul> <li>» Entry level entrance system solution</li> <li>» Strong dirt removal</li> <li>» Effective cleaning function</li> <li>» Abrasion and crush resistant</li> <li>» Humidity and corrosion resistant</li> <li>» Bespoke manufacturing to specification</li> <li>» 3 years Manufacturers Guarantee</li> <li>» Made in Europe</li> </ul>	Materials » Hard rubber » Aluminium with stainless steel wire Applications » Shopping centres » Leisure facilties » Public buildings » Hospitals » Offices Certifications » ITB NJ-5/KR/1106/09 » 10/11/BB91104001 » 48/09/BB91133001 » CFL-s1 » DIN 51130:2014-02:R12	Height » Low Profile - 12 mm » Medium Profile - 17 mm » High Profile - 22 mm Widths » Made to order - no maximum width Length » Made to order - no maximum length Full Technical Data
Black Bro	vn Grey	



Highly effective scrubbing fibres Strong bristles actively scrape debris from passing foot traffic. This fill is also resistant to moisture, corrosion and varying temperature extremes. Use indoor or outdoor.

Why Choose System Scrub?	Technical Details
» Entry level entrance system solution	Materials
» Extremely hard wearing	» Rigid polyamind (6.6) tufts » Aluminium with stainless s
» Designed for busy entrances	Applications
» Perfect for high traffic areas	» Shopping centres » L » Public buildings » H
» Resistant to humidity, corrosion and heat	04
» Bespoke manufacturing to specification	Certifications »ITBNJ-5/KR/1106/09 »1
» 3 years Manufacturers Guarantee	» 48/09/BB91133001 » C
» Made in Europe	» DIN 51130:2014-02:R13
9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	1 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Black	Brown




Colours are subject to commercial tolerance. 44

Or turn to Page 86

Colours are subject to commercial tolerance.



**Grid System** 



steel wire

Leisure facilties Hospitals

> 10/11/BB91104001 > CFL-s1


#### Specification

- **Height** » Low Profile 12 mm » Medium Profile 17 mm » High Profile 22 mm
- Widths » Made to order - no maximum width
- Length
- » Made to order no maximum length











Concourse is a primary matting system for use in commercial applications where the removal of foot borne contaminants at entrance

ways is essential. The matting modules are supplied as solid moulded units in 18mm thickness.

Why Choose Concourse Tile?	Technical Details	Specification
<ul> <li>» Slip resistant profile</li> <li>» Modular sizing without limits</li> <li>» 100% natural rubber</li> <li>» Quick and easy to install</li> <li>» Compatible with Matrix Tile</li> <li>» No minimum order quantity</li> <li>» 1 year Manufacturers Guarantee</li> </ul>	Materials » Polymer enhanced heavy-duty SBR rubb Applications » Shopping centres » Leisure facilties » Public buildings » Hospitals » Offices Certifications » BS6307:1982 (2003) » DOC-FF-1-70 » BS4790:1987 (2014) » TM144:2011	Module Size
» Made in Europe		Full Technical Data





#### Easy to install, hard wearing tile system

Matrix Tile is a primary matting system for use in commercial applications where the removal of foot borne contaminants at entrance ways is essential. The matting modules are supplied as solid units complete with nylon wiper pads and 2 thicknesses.

Why Choose Matrix Tile?	Technical Details
» Ideal for recessed mat wells	Materials
» Modular sizing without limits	» Solution dyed nylon » Polymer enhanced heavy
» 100% natural rubber base	Applications
» Quick and easy to install	» Shopping centres » » Public buildings »
» Compatible with Concourse Tile	» Offices
» No minimum order quantity	Certifications
» 1 year Manufacturers Guarantee	» BS6307:1982 (2003) » » BS4790:1987 (2014) »
» Made in Europe	
and the second	and the second
and the second second	



#### Tile System

### **Kleen-Fit Matrix Tile**



#### Specification

vy duty SBR rubber


» Leisure facilties » Hospitals

» DOC-FF-1-70 » TM144:2011

# **Height** » Low Profile - 12 mm » Standard Profile - 18 mm

Module Size » 500 x 1000 mm

- **Module Weight** » Low Profile 9 kg per module » Standard Profile 13 kg per module





# Prevent problems caused by prolonged standing

Kleen-Comfort Standard • 60 x 85cm

Vais

## Wave Goodbye To Tired Feet

A workforce that spends a lot of time on its feet is susceptible to back and joint damage, so it makes both pastoral and economic sense to protect employees from the stresses and strains of standing up to work.

Specialised anti-fatigue mats not only provide cushioning for your feet and joints, but they can also help improve your overall posture and reduce the risk of workplace injuries. In addition to the physical benefits, anti-fatigue matting can also improve workplace safety by reducing slip and fall accidents. With their non-slip surfaces, these mats provide a secure footing for employees, even in wet or slippery conditions.

Investing in anti-fatigue matting is a smart choice for any employer looking to prioritise the health and safety of their workforce.

# **Anti-Fatigue Products**

#### Industrial

Mats designed to reduce discomfort and fatigue caused by prolonged standing in industrial settings. Made from durable materials, these mats are easier to keep clean in messy workplace environments.

#### Office

Mats designed to enhance comfort and combat fatigue in office settings. Made to boost productivity and employee well-being, making them valuable additions to any office.



# Did you know?

- 80% of individuals who work in a standing upright position suffer from problems with their legs and/ or back, with 30% of absenteeism attributed to back pain.
- Using an anti-fatigue mat during 8 hour working days reduces tiredness and increases standing comfort by 50% in comparison to a hard floor.
- Use of an anti-fatigue mat can increase productivity in employees by up to 44%.



# V W V M P W V W W W

#### The 100% rubber anti-fatigue mat for industrial areas

A durable rubber mat that provides excellent traction and fatigue relief for your muscles and joints at the same time. The cushioned inner construction promotes excellent anti-fatigue properties and its surface texture and low profile edges convey a better grip.

Why Choose Kleen-Comfort?	Technical Details	Specification
» Anti-fatigue mat for industrial areas	Materials » 100% nitrile rubber	Height Weight » Approx. 15 mm » 7.18 kg/m <sup>2</sup>
» Impact absorbing foam core	(15% recycled rubber content) » 100% nitrile foam centre	Standard Sizes
» Relief for muscles and joints	Applications	» 60 x 85 cm » 85 x 150 cm
» Cushioned for long standing comfort	» Prolonged standing work positions » Production lines	» 85 x 285 cm
» Low profile edges to avoid trips	» Service points » Workstations	Please note - 85 x 285 cm mat is not suitable for laundering
» Suitable for indoor and outdoor use	Certifications	
» 5 years Manufacturers Guarantee	» EN 13501-1 / EFL-s1 » EN 14041 Antistatic	
» Made in Europe	» NFSI High-Traction	Full Technical Data



# 

#### Extra safety protection where it's needed most

With this same low-profile edges and generous foam cushioning as the standard version, Kleen-Comfort Safety has bright yellow borders to draw attention to, and increase awareness of, dangerous or hazardous areas in the industrial workplace.

Why Choose Kleen-Comfort Safety?	Technical Details	Specification
» Safety model with bright coloured edging » Anti-fatigue mat for industrial areas » Impact absorbing foam core » Relief for muscles and joints » Cushioned for long standing comfort	Materials » 100% nitrile rubber (15% recycled rubber content) » 100% nitrile foam centre Applications » Prolonged standing work positions » Production lines	Height         Weight           » Approx. 15 mm         » 7.18 kg/m²           Standard Sizes         » 60 x 85 cm           » 85 x 150 cm         » 85 x 285 cm
» Low profile edges to avoid trips » Suitable for indoor and outdoor use » 5 years Manufacturers Guarantee	<ul> <li>» Service points</li> <li>» Workstations</li> <li>Certifications</li> <li>» EN 13501-1 / EFL-s1</li> <li>» EN 14041 Antistatic</li> <li>» NFSI High-Traction</li> </ul>	Please note - 85 x 285 cm mat is not suitable for laundering
» Made in Europe	» NFSI High-Traction	Full Technical

0000000



188 M. 1875

000



Or turn to Page 86



# ✐✐⊆Չৈ≝֎֎

#### Durable and practical as well as cushioning and protecting

The rubber foam construction of this anti-fatigue mat combines durability with practicality. It is suitable for indoor and outdoor use, in wet or dry conditions offering comfort and protection wherever workers stand.

Why Choose Kleen-Cushion?	Technical Details	Specification	
» Anti-fatigue mat for industrial use	Materials » 100% nitrile rubber	Height » Approx. 8 mm	Weight » 4.20 kg/m²
» Relief for muscles and joints	Applications	Standard Sizes	
» Cushioned for long standing comfort	<ul> <li>» Prolonged standing work positions</li> <li>» Production lines</li> <li>» Workstations</li> </ul>	» 85 x 150 cm » 115 x 175 cm	
<ul> <li>» Castellated pattern for increased grip</li> <li>» Slip-resistant rubber backing</li> </ul>	Certifications	" 115 X 175 GHT	
» Suitable for indoor and outdoor use	» EN 14041 Antistatic		
» 2 years Manufacturers Guarantee			
» Made in Europe			Full Technical Data



# ▨▣◣▰◈◧©▧흫

#### Active comfort zones for targeted protection


This clever mat is constructed from 100% nitrile rubber and is designed with active comfort zones on its surface to massage feet where they stand and help protect against leg, foot and back fatigue. It also offers great protection from cold floors.

Why Choose Kleen-Coil?	Technical Details	Specification
<ul> <li>» Active comfort zones</li> <li>» Anti-fatigue for industrial areas</li> <li>» Oil and chemical resistant</li> <li>» Relief for muscles and joints</li> <li>» Cushioned for long standing comfort</li> <li>» Slip-resistant rubber backing</li> <li>» Suitable for indoor and outdoor use</li> <li>» 5 years Manufacturers Guarantee</li> </ul>	Materials » 100% nitrile rubber Applications » Prolonged standing work positions » Production lines » Workstations Certifications » EN 13501-1 / DFL-s1 » EN 14041 Antistatic » NFSI High-Traction	Height         Weight           » Approx. 7-8 mm         » 4.50 kg/m²           Standard Sizes           » 75 x 85 cm           » 85 x 150 cm           » 85 x 300 cm           » 115 x 175 cm
» Made in Europe		Full Technical Data



52 For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.

For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.




# ☞ 🖉 💉 🖨 🗑 🗭 🖄 🚟 🚉 🚟

#### Hygienic anti-bacterial protection, ideal for use in wet areas

With ribbed holes for drainage, this washable workspace mat is made from 100% nitrile rubber with built-in anti-bacterial properties that last for the life of the mat. This versatile mat helps to ease the fatigue in jobs where long periods of standing are required.

Why Choose Kleen-Thru Plus?	Technical Details	Specification
» Anti-bacterial hospitality matting	Materials » 100% nitrile rubber	HeightWeight» Approx. 8 mm» 4.33 kg/m²
» Certified anti-microbial protection » Ribbed surface for increased foot traction	Applications » Prolonged standing work positions » Professional kitchens	<b>Standard Sizes</b> » 60 × 86 cm » 86 × 143 cm
» Impact absorbing to avoid floor damage » Drainage holes to allow wet area usage	» Wet areas » Bars	Linking
» Slip-resistant rubber	<b>Certifications</b> » EN 13501-1 / EFL-s1	
» Oil and chemical resistant » 5 years Manufacturers Guarantee*	» AATCC 30 / AATCC 100 » NFSI High-Traction	
» Made in Europe		Full Technical Data




# 

#### Active comfort zones for targeted protection

Suitable for indoor and outdoor use, this hard-wearing rubber mat is oil, fat, chemical, solvent, heat and cold resistant, and can be used anywhere with strong scraper profile.

Why Choose Kleen-Scrape?	Technical Details	Specification
<ul> <li>» Anti-fatigue mat for industrial areas</li> <li>» 100% nitrile rubber mat</li> <li>» Oil and chemical resistant</li> <li>» Suitable for use indoors or outdoors</li> <li>» Slip-resistant rubber even when wet</li> <li>» 5 years Manufacturers Guarantee*</li> <li>» Made in Europe</li> </ul>	Materials » 100% nitrile rubber (15% recycled rubber content) Applications » Production lines » Workstations » Entrances Certifications » EN 13501-1 / EFL-s1 » EN 14041 Antistatic » NFSI High-Traction	Height » Approx. 5.5 mmWeight » 4.20 kg/m²Standard Sizes Ribbed Pattern » 75 x 85 cm » 85 x 150 cm » 115 x 175 cmChequerboard Pattern » 75 x 85 cm » 85 x 150 cm » 115 x 175 cmThe state of the state of t
Ribbed	Chequerboard	



54

简称我是

\*2 year guarantee under industrial laundry conditions. For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.






# ◍◣◙◕◈≝

#### Cushions and protects, reducing fatigue

This 100% nitrile foam mat literally cushions employees who have to stand for long periods of time, helping to reduce fatigue and improve well-being.

Why Choose Kleen-Foam?	Technical Details	Specification	
<ul> <li>» Deep cushioning floor pads</li> <li>» Anti-fatigue mat for industrial areas</li> <li>» Improves employee well being</li> <li>» Improves productivity</li> <li>» Impact resistance minimising breakages</li> <li>» 2 years Manufacturers Guarantee</li> <li>» Made in Europe</li> </ul>	Materials » 100% nitrile foam rubber Applications » Prolonged standing work positions » Production lines » Service points » Workstations	Height » Approx. 11.5 mm Standard Sizes » 45 x 70 cm » 70 x 135 cm	Weight » 3.0 kg/m <sup>2</sup>





#### Fully customised graphics on a cushioned anti-fatigue mat

A mat for use in places where people need to stand for an extended period of time. Kleen-Comfort Design has a relieving effect for muscles and joints due to it's cushioned foam rubber construction. It can be printed with your artwork making it great for company logos.

Why Choose Kleen-Comfort Design?	Technical Details	Specification
» Anti-fatigue mat with custom graphics	Materials » Printed high-twist nylon surface	Height Weight » Approx. 20 mm » 5.77 kg/m <sup>2</sup>
» Impact absorbing foam core	» 100 % nitrile rubber with foam centre	Standard Sizes
» Relief for muscles and joints	Applications » Prolonged standing work positions	» 55 x 78 cm » 85 x 150 cm
» Cushioned for long standing comfort	» Corporate identity » Service points	» 85 x 285 cm
» Low profile edges to avoid trips	» Workstations	Please note - 85 x 285 cm mat is not suitable for laundering
» 5 years Manufacturers Guarantee*	Certifications » EN 13501-1 / EFL-s1 » NFSI High-Traction	
» Made in Europe	<b>Colour</b> » See page 39 for Jet-Print palette details	Full Technical Data



ata

\*2 year guarantee under industrial laundry conditions. For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.

Or turn to Page 86

## **Kleen-Comfort Office**



# 👔 🔪 🖃 🙆 🖄 🚟 🚉

#### Relief for your muscles and joints in the workplace

Kleen-Comfort Office is the ideal cushioned anti-fatigue workplace mat. Made with a polypropylene surface, it is extremely durable and perfect for long standing comfort at workstations and counters.

Why Choose Kleen-Comfort Office?	Technical Details	Specification	i
» Anti-fatigue mat with durable surface	Materials » 50% polyester, 50% polypropylene surface	Height Weight » Approx. 18 mm » 5.89 kg/m <sup>2</sup>	
» Impact absorbing foam core	<ul> <li>» 100% nitrile foam centre</li> <li>» 100% nitrile rubber backing</li> </ul>	Standard Sizes	
» Made with recycled rubber content	(15% recycled rubber content)	» 55 x 78 cm » 85 x 150 cm	
» Relief for muscles and joints	Applications » Prolonged standing work positions	» 85 x 285 cm	
» Cushioned for long standing comfort	» Service points » Workstations		
» Low profile edges to avoid trips	Certifications		
» 5 years Manufacturers Guarantee	» EN 13501-1 / EFL-s1 » DOC-FF-1-70 » NFSI High-Traction		
» Made in Europe		Full Technical	l Data
			旧新香菇






#### Soft nylon surface with cushioned rubber foam backing

With a stylish soft, yet durable nylon surface, this mat offers the perfect solution for workers who stand for long periods. Its anti-fatigue properties are provided by the 100% nitrile foam cushioning.

Why Choose Kleen-Comfort Soft?	Technical Details
» Anti-fatigue mat with soft surface	<b>Materials</b> » 100% high-twist nylon polyamide 6 surface
» Impact absorbing foam core	<ul> <li>» 100% night wist hybrid polyamide o surface</li> <li>» 100% nitrile foam centre</li> <li>» 100% nitrile rubber backing</li> </ul>
» Relief for muscles and joints	Applications
» Cushioned for long standing comfort	» Prolonged standing work positions » Service points
» Low profile edges to avoid trips	» Workstations
» 5 years Manufacturers Guarantee*	Certifications » DOC-FF-1-70
» Made in Europe	» NFSI High-Traction



For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.

58

Specification

» Approx. 21 mm

Standard Sizes

Height

**Weight** » 5.79 kg/m²

# With the second secon

Practical and protective products for all eventualities

Kleen-Wheel Forklift Mat • Mineral Grey • 200 x 400cm

# Create secure, hazard free working environments

Our high-performing Workplace Safety mats are meticulously engineered to enhance workplace safety across various industries and settings.

Crafted with high-quality materials and advanced technology, our Workplace Safety Mats offer unbeatable slip resistance and ergonomic support, reducing the risk of slips, trips, and falls. Whether in industrial, commercial or office environments, these mats provide a reliable defence against common workplace hazards. Kleen-Tex recognises the critical importance of safety in the workplace, and our range of safety mats comes in various styles and sizes to suit different needs and preferences.

Invest in Kleen-Tex's Workplace Safety Mats to create a secure and accident-free workplace, fostering employee well-being, productivity, and peace of mind. With these top-of-the-line safety mats, you can prioritise safety without compromising on quality and functionality.

# Workplace Safety Products

#### Health

Supporting safe, healthy and productive working environments. Health Mats are designed to reduce the transmission of bacteria in places where cleanliness is imperative.

#### Safety

Specialist safety mats enhance workplace safety throughout many industries. Range of solutions such as slip-resistance, fire-resistance, chemicalresistance, cable tidy etc.



#### Safety Messaging

Clean and tidy, functional solutions for mandatory safety signage. Safety Messaging Mats provide important information, as well as a safe and clean building solution.



# <u>}</u> ≥ ≠ € ⊕ @ @

#### Reduce accidents by containing loose cables and highlighting potential tripping hazard

Loose cables and wires in offices and production areas are a safety hazard. The Kleen-Cable Mat has been developed to help prevent such a hazard and reduce trips and falls. Easy to place over loose cables, the high visibility borders provide a visual warning for staff and visitors.

Why Choose Kleen-Cable Mat?	Technical Details	Specification	
» Easily installable cable safety solution	Materials » 100 % high-twist nylon polyamide 6.6	Height » Approx. 13 mm	Weight » Approx. 3.95 kg/m <sup>2</sup>
» Safely tidy loose wires and cables	» 100 % nitrile rubber backing		
» Integrated channel to hold cables in place	<b>Applications</b> » Anywhere loose cables or wires	<b>Standard Sizes</b> » 40 x 120 cm	
» High visibility warning borders	present a possible trip hazards		
» Slip-resistant rubber backing	<b>Certifications</b> » EN 13501-1 / DFL-s1	Reverse	74 <u>1 \</u> \
» Suitable for underfloor heating	» EN 14041 Antistatic	Name of Street, Street	and and a
» 2 years Manufacturers Guarantee		and the second s	
» Made in Europe			Full Technical Data





# 

Reduce accidents in outdoor, industrial and wet areas by containing loose cables Loose cables and wires in offices and production places are a safety hazard. The Kleen-Cable Mat Rubber version of this safety product allows for use in conditions where oil, grease and chemicals are present and can be used in outdoor places.

#### Why Choose Kleen-Cable Mat Rubber? **Technical Details**

- » Go anywhere cable protection
- » Safely tidy loose wires and cables
- » Integrated channel to hold cables in place
- » High visibility warning borders
- » Made with recycled rubber content
- » Slip-resistant rubber backing
- » 2 years Manufacturers Guarantee
- » Made in Europe



For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance. 62

For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.



### **Kleen-Cable Mat Rubber**

Technical Details	Specification	
Materials » 100% nitrile rubber (15% recycled rubber content) Applications » Anywhere loose cables or wires present a possible trip hazards » Suitable for Outdoor Use Certifications » EN14041 Antistatic	Height » Approx. 5 mm Standard Sizes » 40 x 120 cm » 40 x 160 cm and 40 x 2 Reverse	Weight » Approx. 5.8kg/m <sup>2</sup> 200 cm available to order Full Technical Data
	TO SALANTA	



# 

#### Warehouse entrance mats for wheeled equipment

Heavy duty mat that removes water and dirt from wheels as they enter your building, keeping your loading bay floor clean and dry. Reduces the risk of employees slipping on a wet floor and lessens the ingress of dirt and moisture, saving on cleaning costs.

Why Choose Kleen-Wheel Forklift Mat?	Technical Details	Specification	
» Highly absorbant, durable surface	<b>Materials</b> » A combination of Micro Nylon and High-	Height » Approx, 16 mm	Weight » 5.02 kg/m <sup>2</sup>
» Removes dirt and moisture from wheels	Twist Nylon (HTN) Polyamide 6		~ 3.32 kg/m
» Extra thick rubber backing for strength	(Sustainable yarn made from 50 % post industrial waste) » 100 % nitrile rubber backing	Standard Widths » 85 cm	Lengths » Up to 700 cm
» Save money on repeat cleaning costs	(15% recycled rubber content)	» 115 cm » 150 cm	
» Reduces the risks of slips and trips	Applications	» 200 cm	
» Made with recycled rubber content	» Dispatch area » Loading bay » Warehouse		
» 2 years Manufacturers Guarantee	Certifications		
» Made in Europe	» EN 14041 Antistatic		Full Techni
1990 C. 1990 C. 199	1 - 1 - 2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		

-----



# 

#### Highlights potential hazards

A durable logo mat offering customised and highly visible safety messages or graphics to draw attention to any potential hazards and to remind people to take care.

Why Choose Jet-Print Hi-Vis?	Technical Details	Specification
<ul> <li>» Highly visible safety signage</li> <li>» High dirt and moisture absorption</li> <li>» Fully serviceable product</li> <li>» Fully customisable with your own designs</li> <li>» Slip-resistant rubber backing</li> <li>» Suitable for underfloor heating</li> <li>» 5 years Manufacturers Guarantee*</li> <li>» Made in Europe</li> </ul>	Materials » 100% nylon (HTN) polyamide 6.6 surface » 100% nitrile rubber Applications » Public Buildings » Workplaces » Factories » Warehousing Certifications » EN 13501-1 / CFL-s1 » EN 14041 Antistatic » NFSI High-Traction	Height » Approx. 9 mm         Weight » 2.48 kg/m²           Standard Sizes » 85 x 120 cm » 85 x 150 cm » 85 x 300 cm » 115 x 175 cm » 115 x 240 cm         Widths » 60 cm » 75 cm » 85 cm » 115 cm » 115 x 240 cm » 200 cm         Lengths » Up to 700 cm
Black	Hi-Vis Yellow	Full Technical Data



\*2 year guarantee under industrial laundry conditions. For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.



# \*\*\*\* \*\*\*\*\*

#### Maximise the prevention of contamination with this anti-bacterial barrier matting

Designed for use in workplaces where hygiene is paramount, these clever sticky mats offer maximum removal of fine dust, dirt and other contaminants. Ideal for use in laboratories, hospitals, surgeries or clean operating areas.

Why Choose Kleen-Sticky Mat?	Technical Details	Specification
<ul> <li>» Minimise foot borne contamination</li> <li>» Facilitates cart and foot traffic</li> <li>» 30 or 60 layers of renewable protection</li> <li>» Anti-bacterial elements</li> <li>» Optional nitrile rubber containment frame</li> <li>» Easy relocation</li> <li>» Quick removal</li> <li>» Made in Europe</li> </ul>	Materials » Frame: 100% nitrile rubber (15% recycled rubber content) » Mat: 100% polyethylene Applications » Clean rooms » Medical facilities » Laboratories	Height         » 30 Sheets - 1.14 mm         » 60 Sheets - 2.19 mm         Standard Sizes         Kleen-Sticky Mat         » 90 × 45 cm         » 90 × 60 cm         » 126 × 56 cm         » 115 × 45 cm         » 115 × 60 cm         » 115 × 90 cm    Full Technical Data
White	Blue	





#### No more spills and slips

A customised mat to fit around your water cooler and ensure that the area around the device stays dry and protects against potential spills and slip hazards.

Why Choose Kleen-Cooler Mat?	Technical Details
<ul> <li>» Custom fit for water dispensers</li> <li>» Minimising potential slips from spilled water</li> <li>» Contemporary colour selection</li> <li>» Durable and vibrant nylon surface</li> <li>» Made with recycled rubber content</li> <li>» Slip-resistant rubber backing</li> </ul>	Materials » 100% high-twist nylon polyamia » 100% nitrile rubber (15% recycled rubber content) Applications » Water dispensers Certifications » EN 13501-1 / CFL-s1
» Suitable for underfloor heating » 2 years Manufacturers Guarantee » Made in Europe	

Cool Grey Scarlet

ALC: NO

Slate

Smokey Mount Regal Red Sahara

## **Kleen-Cooler Mat**

	Height
iid 6.6 surface	» Appro

#### Specification

**nt Weight** rox. 11-12 mm » 2.4 kg/m<sup>2</sup>

**Standard Sizes** » 85 x 60 cm



Raven Black

Taupe



# Area Mats

Durable and hygienic modular solutions with practical uses

Kleen-Tile • Dark Blue

# Create secure, hazard free working environments

Wet area tiles are a high-quality flooring solution designed specifically for wet and moisture-prone areas such as locker rooms, swimming pools, and spa facilities.

Made from durable and slip-resistant materials that provide excellent traction, they're easy to clean and maintain, making them an ideal choice for hightraffic areas.

Our selection of tiles are available in a range of colours and styles, allowing you to create a customised look that matches your decor. A preformed interlocking system makes them quick and easy to install in any space, shape or size.

With their high performance and stylish appearance, Kleen-Tex's wet area tiles are an excellent choice for any space where moisture is a concern.

# **Typical Applications**

- » Poolside
- » Wet rooms
- » Locker rooms
- » Shower rooms
- » Saunas






# 

#### Interlocking area tiles designed for wet areas

The curved design of the lines and hollow construction promotes immediate drainage and allows water to pass directly through the tile. The soft surface of provides a comfortable, slip resistant, safe and dry cushioned surface for bare feet. Easy to install and keep clean.

Why Choose Kleen-Tile?	Technical Details	Specification							
» Interlocking wet area tile	Materials » UV-resistant, anti bacterially treated vinyl	<b>Height</b> » Approx. 10 mm	Weight » Approx. 4.2 kg/m²						
» UV resistant material	Applications	Tile Size	FF - J.						
» Reduce wet area accidents	» Poolside » Wet rooms » Locker rooms » Shower rooms	» 30.4 x 30.4 cm							
» Soft touch traction for bare feet	Certifications Snower rooms Interlocking modular link system								
» Modular construction - suitable for any area	» EN 13501-1 / BFL-s1 » EN ISO 11925-2	Pack Size							
» Easy to install	» EN ISO 9239-1 » DIN 51097: A + B + C		» 16 tiles per pack (=1.47 m <sup>2</sup> )						
» 3 year or 3 million crossings guarantee	» DIN EN 13451/15288-1: 26° » ISO 16000-9: TVOC Class A+								
» Made in Europe			Full Technical Data						
		11/1/							
Dark Blue Paste	Blue Grey								



# ¥&/\*\*\*

Safety floor matting for locker rooms, poolside, saunas and shower rooms Designed specifically for wet areas (both indoors and outdoors), its interlocking structure makes it great for covering large spaces - and is 100% recyclable. Reduces slip and trip accidents by providing good traction for bare feet reducing the likelihood of serious injury.

Why Choose Kleen-Wave?	Technical Details	Specification
» Interlocking wet area tile	Materials » 100% recyclable PET plastic	Height Weight » Approx. 9 mm » Approx. 2.2 kg/m <sup>2</sup>
» Made from recyclable material	» 100% recyclable r E i plastic	» Арргох. этптт — » Арргох. 2.2 кg/тт
» Anti-microbial properties	Applications » Poolside » Wet rooms	<b>Tile Size</b> » 58 × 100 cm
» Reduce wet area accidents	» Locker rooms » Shower rooms	Interlocking modular link system allows
» Soft touch traction for bare feet	Certifications » DIN 51097: A + B + C	for infinite size option
» Modular construction - suitable for any area	» DIN EN 13451/15288-1: 30°	
» Easy to install	» ISO 16000-9: TVOC Class A+	
» 2 year or 2 million crossings guarantee		
» Made in Europe		Full Technical Data
Dark Blue Paste	Blue Graphite	



70 For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.

For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.

# **Transportation**

# Achieve maximum protection in and around vehicles

Car Protector Set Premium

# **Reserve and Preserve**

Mats designed for the transport sector play a crucial role in ensuring cleanliness and safety within vehicles. These mats are specifically engineered to withstand the challenges and demands of transportation environments. Practical solutions designed to preserve cleanliness and enhance safety during or around traveling.

From reserving a car parking space for customer collections to ensuring an aircraft looks

immaculate once every passenger has embarked, our Transportation Mats are high-quality products designed for a variety of purposes.

With their superior performance and stylish appearance, Kleen-Tex's Transportation mats are an excellent choice for anyone who wants to keep their vehicle's interior looking well-maintained.


# **Transportation Products**

#### Public Transport


Designed to enhance passenger comfort, experience and cleanliness. Made to withstand high traffic and wear and made from easy to clean materials.

#### Car Mats

Mats manufactured with vehicle protection and long-term cleanliness in mind. Designed to provide traction where needed and a barrier to potentially damaging hazards.



"Excellent mat for the boot of the car, keeps it cleaner and stops the dog scratching the paintwork when she jumps in." **Trusted Customer** 





74

#### Created exclusively for use on passenger aircraft, this mat ticks all the boxes for the aviation industry

Highly absorbent and durable wool/nylon fibres combined with coarse monofilament scrapers makes this the ideal product to remove foot borne moisture from passenger and cabin crew shoes. Constructed with a flame retardant PVC backing.

Why Choose Airline Mat?	Technical Details	Specification	
» Meets CAA requirements	Materials	Height	Weight
» Dries and cleans shoes on entry	» 80% hard-twist cut pile » 20% wool/nylon blend	» Approx. 10 mm	» 3.5 kg/m² +/- 7.5%
» Safer passenger boarding	» Coarse nylon scraper » Fire retardant PVC backing	<b>Standard Sizes</b> » 76 x 76 cm +/- 5%	
» Reduce slips and trips due to wet floors	Applications	» 76 x 122 cm +/- 5% » 76 x 154 cm +/- 5%	
» Reduces aircraft cleaning costs	» Aircraft entrances » Galley » Aisles		
» Easy to clean and maintain	Certifications		
» Easy to replace during maintenance	» Ref. No. Al/8847/83 » FAR/JAR Part 25 App. F Part 1 Vertical Test		
» Made in Europe			Full Technical Data
		E LE AL	






#### A lush, PET fibre pile made from 100% recycled materials

Designed to absorb and trap dirt, mud, debris and many other contamination types, with an impervious rubber backing to prevent moisture from passing through to the boot lining, the Car Protector Set is a welcome addition to a busy car.

Why Choose Car-Protector Premium?	Technical Details
» Keeps boot lining clean and dry	Materials
» Protects bumper from scuffs and scrapes	<ul> <li>» 100 % recycled PET ma</li> <li>» 100 % nitrile rubber (15% recycled rubber co</li> </ul>
» Superior dirt and moisture absorbency	Applications
» Detachable bumper panel	» Car boots
$^{\rm w}$ Made with 100% recycled PET fibre pile	Certifications » EN 13501-1 Certified
» Machine washable up to 30°C	» NFSI High-Traction
» Fast drying surface	
» 5 years Manufacturers Guarantee	
	1846 BBBBB 187 - 197 - 197 - 197 - 197 - 197 - 197 - 197 - 197 - 197 - 197 - 197 - 197 - 197 - 197 - 197 - 197

For all mats we reserve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.






# 👔 🗑 🖻 🔲 🖭 🖄 🗑

#### Protection for you, your family and your vehicle

Unsecured cables can lead to accident or injury or lead to damage of the charging unit or even your vehicle. Kleen-Cable Mat EV is designed to contain loose Electric Vehicle cables flat to the ground and reduce the likelihood of a trip accident.

Why Choose Kleen-Cable Mat EV?	Technical Details	Specification
<ul> <li>» Electric vehicle charging cable safety</li> <li>» Protects pedestrians from potential trip hazards</li> <li>» Integrated channel to hold cables in place</li> <li>» High visibility warning borders</li> <li>» Suitable for all weather conditions</li> <li>» Slip-resistant rubber</li> <li>» Made with recycled rubber content</li> <li>» 2 years Manufacturers Guarantee</li> <li>» Made in Europe</li> </ul>	Materials » 100% nitrile rubber (15% recycled rubber content) Applications » EV charging points » Garages » Driveways » Forecourts Certifications » EN 14041 Antistatic	Height Weight » Approx. 5 mm » Approx. 5.8kg/m <sup>2</sup> Standard Sizes » 40 x 120 cm » 40 x 160 cm and 40 x 200 cm available to order Reverse Full Technical Data

XXXXXX



# L Z K P 0. \* # @ ::

#### Designate areas of your car parks to specific purposes

No more messy and permanent paint markings to designate collection bays or other areas. Our Parking Mat provides a sleek, temporary and flexible solution. Upgrade your parking game.

Why Choose Parking Mat?	Technical Details
<ul> <li>» Non-permanent solution to parking allocation</li> <li>» Fully customisable with your own branding</li> <li>» Suitable for all weather conditions</li> <li>» Durable nylon grass effect surface</li> <li>» Pantone, HKS and RAL matching available*</li> <li>» Light-fast and colour fade resistant</li> <li>» 2 years Manufacturers Guarantee</li> <li>» Made in Europe</li> </ul>	Materials » 100% monofilament PA » 100% nitrile rubber back Applications » Car parks Certifications » EN 13501-1 / BFL-s1 Colour » See page 39 for Jet-Prin



ANN

AMAX N

					Spe	cification			Certification		S	urface ( and Foam In	ert if applical	able)
	Outdoor	Eco	Application	Max	Max	Mat	Mat	Burning	Static Electrical	Slip	Material	Colouration	Pile (or Foam)	Pile (or Foam)
Product Name	Use	Properties	Area	Width	Length	Height	Weight	Behaviour	Propensity	Resistance			Height	Weight
Ad-Mat Premium	-	7	123	150 cm	200 cm	1.25/1.7 mm	1.25/1.78 kg/m <sup>2</sup>	-	-	-	100% knitted polyester	Sublimation	0.35 mm	210 g/m <sup>2</sup>
Airline-Mat***	-	N.	123	76 cm	154 cm	~10 mm	~3.5 kg/m²	EASA CS.25.853	-	-	Wool and nylon blend with polyester back	-	~8 mm	1.55 kg/m <sup>2</sup>
Bar-Mat Premium	-	N.	123	150 cm	200 cm	1.25/1.7 mm	1.25/1.78 kg/m <sup>2</sup>	-	-	-	100% knitted polyester	Sublimation	0.35 mm	210 g/m <sup>2</sup>
Car Protector Premium Mat	-	7	123	90cm	110 cm	~11 mm	2.7 kg/m <sup>2</sup>	-	-	-	Recycled PET material	Solution dyed	9-10 mm	950 g/m <sup>2</sup>
Car Protector Premium Flap	-	7	123	70cm	100 cm	1.7 mm	2.48 kg/m <sup>2</sup>	-	-	-	100% Nitrile rubber (15% recycled)	N/A	-	-
Counter Mat	-	7	123	150 cm	200 cm	1.25/1.7 mm	1.25/1.78 kg/m <sup>2</sup>	-	-	-	100% knitted polyester	Sublimation	0.35 mm	210 g/m <sup>2</sup>
Desk Planner Mat	-	N.	123	150 cm	200 cm	1.25/1.7 mm	1.25/1.78 kg/m <sup>2</sup>	-	-	-	100% knitted polyester	Sublimation	0.35 mm	210 g/m <sup>2</sup>
EcoAbsorb	-	7	123	200 cm	700 cm	~15 mm	2.85 kg/m <sup>2</sup>	EN13501-1/CFL-s1	EN14041 Antistatic	-	Micro nylon & high-twist nylon polyamide 6 50% recycled yarn	Solution dyed	~14 mm	1100 g/m <sup>2</sup>
Entrance	-	7	123	115 cm	175 cm	~11-12 mm	2.2 kg/m <sup>2</sup>	EN13501-1/CFL-s1	-		100% high-twist nylon polyamide 6	Solution dyed	~10-11 mm	700 g/m <sup>2</sup>
Green-Horse	-	7	123	150 cm	700 cm	~10-11 mm	2.65 kg/m <sup>2</sup>	EN13501-1/CFL-s1	EN14041 Antistatic		Recycled 100% PET material	Solution dyed	~9-10 mm	950 g/m²
Iron-Horse	-	N.	123	200 cm**	700 cm	~11-12 mm	2.4 kg/m <sup>2</sup>	EN13501-1/CFL-s1	EN14041 Antistatic		100% high-twist nylon polyamide 6	Solution dyed	~10-11 mm	700 g/m²
Iron-Horse Light	-	N.	123	115 cm	175 cm	~11-12 mm	1.8 kg/m <sup>2</sup>	-	-	-	100% high-twist nylon polyamide 6	Solution dyed	~10-11mm	700 g/m <sup>2</sup>
Iron-Horse XL	-	N.	123	150 cm	700 cm	~13-14 mm	2.54 kg/m <sup>2</sup>	EN13501-1/CFL-s1	EN14041 Antistatic		100% high-twist nylon polyamide 6	Solution dyed	~12-13 mm	840 g/m²
Jet-Print	-	V	1 2 3	200 cm	700 cm	~9 mm	2.48 kg/m <sup>2</sup>	EN13501-1/CFL-s1	EN14041 Antistatic		100% high-twist nylon polyamide 6.6	Chromojet printing	~8 mm	780 g/m²
Jet-Print Big Size	Yes	Y	1 2 3	400 cm	4000 cm	~6 mm	1.65/2.67 kg/m²	EN13501-1/CFL-s1	-	-	100% polyamide 6	Chromojet printing	~4 mm	500 g/m²
Jet-Print Event	-	N.	1 2 3	200 cm	2000 cm	~5 mm	1.1 kg/m²	-	-	-	100% polyamide 6	Chromojet printing	~4 mm	325 g/m²
Jet-Print Hi-Vis	-	M	1 2 3	200 cm	700 cm	~9 mm	2.48 kg/m <sup>2</sup>	EN13501-1/CFL-s1	EN14041 Antistatic		100% high-twist nylon polyamide 6.6	Chromojet printing	~8 mm	780 g/m²
Jet-Print Horizon	-	V	1 2 3	200 cm	2000 cm	~10 mm	3.8 kg/m <sup>2</sup>	EN13501-1/BFL-s1	-	-	100% high-twist nylon polyamide 6.6	Chromojet printing	~8 mm	1080 g/m²
Jet-Print Light	-	7	1 2 3	200 cm	700 cm	~7 mm	1.9 kg/m²	EN13501-1/CFL-s1	-	-	100% High-twist nylon polyamide 6.6	Chromojet printing	~6 mm	680 g/m²
Jet-Print Outdoor	Yes	7	123	200 cm	700 cm	~8 mm	3.6 kg/m²	EN13501-1/BFL-s1	-	-	100% monofilament PA 6	Chromojet printing	~6 mm	~1420 g/m²
Jet-Print Patio	-	Y	1 2 3	200 cm	2000 cm	~5 mm	2.4 kg/m <sup>2</sup>	EN13501-1/CFL-s1	-	-	100% polyamide 6	Chromojet printing	~3 mm	300 g/m²
Jet-Print Plus	-	N.	1 2 3	200 cm	700 cm	~10 mm	2.75 kg/m <sup>2</sup>	EN13501-1/CFL-s1	EN14041 Antistatic		100% high-twist nylon polyamide 6.6	Chromojet printing	~9 mm	1050 g/m²
Jet-Print Velour	-	N.	1 2 3	200 cm	700 cm	~6 mm	1.7 kg/m²	-	-	-	100% polyamide 6	Chromojet printing	~5mm	525 g/m²
Jet-Print Vision	-	N.	1 2 3	200 cm	700 cm	~7 mm	2.5 kg/m <sup>2</sup>	EN13501-1/CFL-s1	-	-	100% high-twist nylon polyamide 6.6	Chromojet printing	~6 mm	800 g/m²
Keyboard Runner	-	7	123	150 cm	200 cm	1.25/1.7 mm	1.25/1.78 kg/m <sup>2</sup>	-	-	-	100% knitted polyester	Sublimation	0.35 mm	210 g/m <sup>2</sup>
Kleen-Cable Mat	-	7	123	40cm	120cm	~13 mm	3.95 kg/m <sup>2</sup>	EN13501-1/DFL-s1	EN14041 Antistatic	-	100% high-twist nylon polyamide 6.6	Solution dyed	~10 mm	700 g/m <sup>2</sup>
Kleen-Cable Mat EV	Yes	7	123	40cm	200cm	~ 4.8 mm	~ 5.8 kg/m²	-	EN14041 Antistatic	-	100% nitrile rubber (15% recycled)	N/A	-	-
Kleen-Cable Mat Rubber	Yes	7	123	40cm	200cm	~ 4.8 mm	~ 5.8 kg/m²	-	EN14041 Antistatic	-	100% nitrile rubber (15% recycled)	N/A	-	-
Kleen-Coil	Yes	7	123	115 cm	300 cm	~7.5 mm	~4.5 kg/m²	EN13501-1/DFL-s1	EN14041 Antistatic		100% nitrile rubber	N/A	-	-
Kleen-Comfort Design	-	Y	123	85cm	285 cm	~20 mm	~5.77 kg/m²	DOC-FF-1-70	-		High-twist nylon polyamide 6.6 (100% nitrile foam)	Chromojet printing	~7 mm (11.5 mm)	680 g/m² (~3 kg/m²)
Kleen-Comfort Office	-	V	123	85 cm	285 cm	~18 mm	~5.89 kg/m²	DOC-FF-1-70	-		50% polyester   50% polypropylene (100% nitrile foam)	Solution dyed	~4 mm (11.5 mm)	750 g/m² (~3 kg/m²)
Kleen-Comfort Safety	-	V	123	85 cm	285 cm	~15 mm	7.18 kg/m²	EN13501-1/EFL-s1	EN14041 Antistatic		100% nitrile rubber (100% nitrile foam)	N/A	(~11.5mm)	(3 kg/m²)
Kleen-Comfort Soft	-	V	123	85 cm	285 cm	~21 mm	~5.79 kg/m²	EN13501-1/CFL-s1	-		100% high-twist nylon polyamide 6.6 (100% nitrile foam)	Solution dyed	~10-11 mm (11.5 mm)	
Kleen-Comfort	-	¥	123	85 cm	285 cm	~15 mm	7.18 kg/m²	EN13501-1/EFL-s1	EN14041 Antistatic		100% nitrile rubber (100% nitrile foam)	N/A	(~11.5 mm)	(3 kg/m²)
Kleen-Cooler Mat	-	V	123	60 cm	85 cm	~11- 12 mm	2.4 kg/m²	EN13501-1/CFL-s1	-	-	100% high-twist nylon polyamide 6	Solution dyed	~10-11 mm	700 g/m²
Kleen-Cushion	Yes	Y	1 2 3	115 cm	175 cm	~8 mm	4.2 kg/m <sup>2</sup>	-	EN14041 Antistatic	-	100% nitrile rubber	N/A	-	-
Kleen-Foam	-	V	123	70 cm	135 cm	~11.5 mm	3 kg/m²	-	-	-	100% nitrile foam	N/A	(~11.5 mm)	(~3 kg/m²)
Kleen-Scrape	Yes	V	123	115 cm	300 cm	~5.5 mm	4.2 kg/m <sup>2</sup>	EN13501-1/EFL-s1	EN14041 Antistatic		100% nitrile rubber (15% recycled)	N/a	-	-
Kleen-Sticky Mat	-	N.	123	115 cm	90 cm	30 Sheets - 1.14mm 60 Sheets - 2.19mm	-	Anti-Microbial Testing:	2-n-octyl-4-isothiazolin	i-3-one (OIT)	100% polyethylene layers	N/A	-	-
Kleen-Thru Plus ****	Yes	V	1 2 3	86 cm	143 cm	~8 mm	4.33 kg/m <sup>2</sup>	EN13501-1/EFL-s1	-	-	100% nitrile rubber	N/A	-	-
Kleen-Tile	Yes	V	1 2 3	30.4 cm/ Modular	30.4 cm/ Modular	~10 mm	4.2 kg/m <sup>2</sup>	EN13501-1/BFL-s1 ENISO 11925-2/9239-1	-	See Apendix <sup>1</sup>	UV treated vinyl	N/A	~10 mm	-
Kleen-Wave	-	7	1 2 3	58 cm/ Modular	100 cm/ Modular	9 mm	2.2 kg/m²		See Apendix <sup>2</sup>		100% recycled PET plastic	N/A	9 mm	-
Kleen-Wheel Forklift Mat	-	V	123	200 cm	700 cm	~16 mm	5.02 kg/m²	-	EN14041 Antistatic	-	Micro nylon & high-twist nylon polyamide 6	Solution dyed	~14 mm	1100 g/m²
Montone	-	7	123	150 cm	700 cm	~11-12 mm	2.4 kg/m <sup>2</sup>	EN13501-1/CFL-s1	-		100% high-twist nylon polyamide 6.6	Solution dyed	~10-11 mm	700 g/m²
PolyCotton	-	7	123	150 cm	700 cm	~13 mm	2.80 kg/m <sup>2</sup>	EN13501-1/EFL-s1	-	-	50% cotton   50% polyester	Reactive dyed	~12 mm	970 g/m²
Super-Mat	-	7	123	150 cm	700 cm	~10 mm	3.1 kg/m²	EN13501-1/CFL-s1	EN14041 Antistatic		100 % Econyl® regenerated nylon	Solution dyed	~9 mm	900 g/m²
Water-Horse	Yes	7	123	115 cm	240 cm	~7 mm	3.2 kg/m <sup>2</sup>	EN13501-1/EFL-s1	-		50% polyester   50% polypropylene (50% recycled content)	Solution dyed	~4 mm	750 g/m²

				Back	king					Cleaning					Details			
Dirt	Moisture						Borders		Machine		Manual	Custom	Custom	Special	Colourfast	Suitable for		Customs
Absorption	Absorption	Material	Grip Type	Height	Weight	Availability	Width	Height	Washable	Drying	Cleaning	Designs	Shapes	Colours Available	and Lightfast	Underfloor Heating	Guarantee	Tariff Number
-	-	100% nitrile rubber	Flat	0.9/1.35mm	1.04/1.57 kg/m²	Optional	10/20 mm	0.9/1.35 mm	Up to 40°c	Lay flat	Vacuum	Yes	Yes	СМҮК	-	Yes	1 Year	54076990
-	-	Flame retardant PVC	Embossed	2.5 mm	2 kg/m²	Standard	30 mm	2.5 mm	-	Lay flat	Vacuum/ Steam	-	-	-	-	-	-	57032999
-	-	100% nitrile rubber	Flat	0.9/1.35mm	1.04/1.57 kg/m²	Standard	10/20 mm	0.9/1.35 mm	Up to 40°c	Lay flat	Vacuum	Yes	Yes	СМҮК	-	Yes	1 Year	54076990
800 g/m²	3-4 l/m²	100% nitrile rubber 15% recycled	Flat	1.2 mm	1.75 kg/m²	No	-	-	Up to 30°c	Lay flat	Vacuum	-	-	-	Yes	-	5 Years	57033088
-	-	100% nitrile rubber	Flat	1.7 mm	2.48 kg/m²	No	-	-	-	Lay flat	Wipe Clean	-	-	-	-	-	5 Years	40169100
-	-	100% nitrile rubber	Flat	0.9/1.35mm	1.04/1.57 kg/m²	Standard	10/20 mm	0.9/1.35 mm	Up to 40°c	Lay flat	Vacuum	Yes	Yes	СМҮК	-	Yes	1 Year	54076990
-	-	100% nitrile rubber	Flat	0.9/1.35mm	1.04/1.57 kg/m²	Standard	10/20 mm	0.9/1.35 mm	Up to 40°c	Lay flat	Vacuum	Yes	Yes	СМҮК	-	Yes	1 Year	54076990
1100 g/m²	5-6 l/m²	100% nitrile rubber	Kleeted/Flat	1.5 mm	1.75 kg/m²	Optional	20 mm	2.5mm	Up to 60°c	Up to 60°c	Vacuum/ Steam Clean	-	-	-	Yes	Yes	5 Years*	57032999
800 g/m²	3-4 l/m²	100% nitrile rubber 15% recycled	Kleeted	1.2 mm	1.5 kg/m²	Standard	20 mm	2.2 mm	-	Lay flat	Vacuum/ Steam Clean	-	-	-	Yes	Yes	2 Years	57032999
800 g/m²	3-4 l/m²	100% nitrile rubber	Kleeted/Flat	1.4 mm	1.7 kg/m²	Optional	20 mm	2.4 mm	Up to 60°c	Up to 60°c	Vacuum	-	-	-	Yes	Yes	5 Years*	57033999
800 g/m²	3-4 l/m²	100% nitrile rubber	Kleeted/Flat	1.4 mm	1.7 kg/m²	Optional	20 mm	2.4 mm	Up to 60°c	Up to 60°c	Vacuum	-	-	-	Yes	Yes	5 Years*	57032999
800 g/m²	3-41/m <sup>2</sup>	100% nitrile rubber	Kleeted/Flat	0.9 mm	1.1 kg/m²	Standard	10 mm	0.9 mm	Up to 40°c	Up to 40°c	Vacuum/ Steam	-	-	-	Yes	Yes	2 Years	57032999
1000 g/m <sup>2</sup>	4-5 l/m²	100% nitrile rubber	Kleeted/Flat	1.4 mm	1.7 kg/m²	Optional	20 mm	2.4mm	Up to 60°c	Up to 60°c	Vacuum	-	-	-	Yes	Yes	5 Years*	57032999
600 g/m <sup>2</sup>	3-4 l/m <sup>2</sup>	100% nitrile rubber	Kleeted/Flat	1.4 mm	1.7kg/m²	Optional	20 mm	2.4 mm	Up to 60°c	Up to 60°c	Vacuum	Yes	Yes	Pantone,	Yes	Yes	5 Years*	57032999
_	_	Textile or easy lift	Flat	~2mm	-	No	-	-	-	Lay flat	Vacuum/	Yes	-	HKS, RAL Pantone or	-	-	-	57032919
	-	Latex WV backing	Flat Waffle	~1mm	_	No	-	-	-	Layflat	Carpet Clean Vacuum/	Yes	-	RAL RGB 1998		-	-	57032919
600 g/m <sup>2</sup>	3-4 l/m²	100% nitrile rubber	Kleeted/Flat	1.4 mm	1.7 kg/m²	Optional	20 mm	2.4 mm	Up to 60°c	Up to 60°c	Carpet Clean Vacuum	Yes	-	Pantone,	Yes	Yes	5 Years*	57032999
700 g/m <sup>2</sup>	4-5 l/m <sup>2</sup>	100% vinyl	Flat	2 mm	2.72 kg/m <sup>2</sup>	Standard	25 mm		-	Lay flat	Vacuum/	Yes	-	HKS, RAL Pantone,	Yes	Yes	2 Years	57032999
	2-3 l/m <sup>2</sup>	100% nitrile rubber		0.9 mm				2 mm			Steam Clean	Yes	Yes	HKS, RAL Pantone,		Yes		57032999
470 g/m²	2-51/11		Kleeted/Flat		1.2 kg/m <sup>2</sup>	Optional	10 mm	1.9 mm	Up to 60°c	Up to 60°c	Vacuum			HKS, RAL Pantone,	Yes		2 Years	
-	-	100% nitrile rubber	Kleeted/Flat	1.8 mm	2.2 kg/m <sup>2</sup>	Optional	20 mm	1.8 mm	- Limited washabili-	Layflat	Vacuum Vacuum/	Yes	Yes	HKS, RAL	Yes	Yes	2 Years	57032999
-	-	Vinyl backing	Flat	~2mm	~2.05 kg/m²	Standard	25 mm	-	ty up to 30°c	Lay flat	Hand Wash	Yes	Yes	Pantone, RGB, CMYK Pantone,	-	-	-	57032919
800 g/m²	4-5 l/m²	100% nitrile rubber	Kleeted/Flat	1.4 mm	1.7 kg/m²	Optional	20 mm	2.4 mm	Up to 60°c	Up to 60°c	Vacuum	Yes	Yes	HKS, RAL Pantone, HKS.	Yes	Yes	5 Years*	57032999
-	-	100% nitrile rubber	Flat	0.9 mm	1.2 kg/m²	Standard	20 mm	1.9 mm	Up to 40°c	Lay flat	Vacuum	Yes	Yes	RAL, RGB Pantone, HKS,	Yes	Yes	2 Years	57032999
400 g/m <sup>2</sup>	3-4 l/m²	100% nitrile rubber	Kleeted/Flat	1.4 mm	1.7 kg/m <sup>2</sup> 1.04/1.57	Optional	20 mm	2.4 mm 0.9/1.35	Up to 60°c	Up to 60°c	Vacuum	Yes	Yes	RAL, RGB	Yes	Yes	5 Years*	57032999
-	-	100% nitrile rubber	Flat	0.9/1.35mm	kg/m²	Standard	10/20 mm	mm	Up to 40°c	Lay flat	Vacuum Vacuum/	Yes	Yes	СМҮК	-	Yes	1 Year	54076990
800 g/m²	3-4 l/m²	100% nitrile rubber	Kleeted	2.8mm	3.24 kg/m²	Standard	30 mm	2.8 mm	-	Lay flat	SteamClean	-	-	-	Yes	Yes	2 Years	57032999
-	-	100% nitrile rubber (15% recycled)	Kleeted	4.8 mm	5.8 kg/m²	Standard	30 mm	4.8 mm	-	Lay flat	Brush/ Pressure	-	-	-	Yes	Yes	2 Years	40169100
-	-	100% nitrile rubber (15% recycled)	Kleeted	4.8 mm	5.8 kg/m²	Standard	30 mm	4.8 mm	-	Lay flat	Brush/ Pressure	-	-	-	Yes	Yes	2 Years	40169100
-	-	100% nitrile rubber	Flat	~3.6 mm	~4.5 kg/m²	Standard	20 mm	4.5 mm	Up to 60°c	Up to 60°c	Vacuum/ Steam Clean	-	-	-	Yes	Yes	5 Years	40169100
-	-	100% nitrile rubber	Flat	1.8 mm	2.09 kg/m²	No	-	-	Up to 60°c	Lay flat	Vacuum/ Steam Clean	Yes	-	Pantone, HKS, RAL	Yes	Yes	5 Years*	57032999
-	-	100% nitrile rubber (15% recycled)	Flat	1.8 mm	2.09 kg/m²	No	-	-	-	Lay flat	Vacuum/ Steam Clean	-	-	-	Yes	Yes	5 Years	56031490
-	-	100% nitrile rubber (15% recycled)	Flat	3.6 mm	4.18 kg/m²	No	-	-	Up to 60°c	Lay flat	Vacuum/ Pressure Wash	-	-	-	Yes	Yes	5 Years	40169100
-	-	100% nitrile rubber	Flat	1.8 mm	2.09 kg/m²	No	-	-	Up to 60°c	Lay flat	Vacuum/ Steam Clean	-	-	-	Yes	Yes	5 Years*	57032999
-	-	100% nitrile rubber 15% recycled	Flat	3.6 mm	4.18 kg/m²	No	-	-	Up to 60°c	Lay flat	Vacuum/ Pressure Wash	-	-	-	Yes	Yes	5 Years	40169100
800 g/m²	3-4 l/m²	100% nitrile rubber (15% recycled)	Kleeted	1.4 mm	1.7 kg/m²	Standard	20 mm	2.4 mm	-	Lay flat	Vacuum/ Steam Clean	-	-	-	Yes	Yes	2 Years	57032999
-	-	100% nitrile rubber	Flat	3.6 mm	~4.2 kg/m²	Standard	20 mm	2.5 mm	-	Lay flat	Steam Clean/ Pressure	-	-	-	Yes	Yes	2 Years	40169100
-	-	100% nitrile foam	Flat	-	-	No	-	-	-	Lay flat	Vacuum/ Steam Clean	-	-	-	Yes	Yes	2 Years	40169100
-		100% nitrile rubber (15% recycled)	Flat	3.6 mm	4.2 kg/m²	Standard	20 mm	3.6 mm	Up to 60°c	Up to 60°c	Brush	-	-	-	Yes	Yes	5 Years*	40169100
-	-	-	Flat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39199080
-	-	100% nitrile rubber	Textured	~8 mm	4.33 kg/m <sup>2</sup>	Standard	30 mm	3 mm	Up to 60°c	Lay flat	Steam Clean	-	-	-	Yes	Yes	5 Years*	40169100
-	-	N/A	-	-	-	No	-	-	-	-	Steam Clean/ Pressure	-	-	-	Yes	Yes	3 Years	39204390
-	-	N/A	-	-	-	No	-	-	-	-	Steam Clean/ Pressure	-	-	-	Yes	Yes	2 Years	39189000
1100 g/m²	5-6 l/m²	100% nitrile rubber (15% recycled)	Flat	2.8 mm	3.92 kg/m²	Optional	20 mm	2.8 mm	-	Lay flat	Vaccum/ Carpet Clean	-	-	-	Yes	Yes	2 Years	57032999
800 g/m²	3-4 l/m²	100% nitrile rubber (15% recycled)	Kleeted/Flat	1.4 mm	1.7 kg/m²	Optional	20 mm	2.4 mm	Up to 60°c	Up to 60°c	Vacuum	-	-	-	Yes	Yes	5 Years*	57032999
800 g/m²	4-5 l/m²	100% nitrile rubber	Kleeted/Flat	1.6 mm	1.83 kg/m²	Optional	20 mm	2.6 mm	Up to 60°c	Up to 75°c	Vacuum	-	-	-	Yes	Yes	5 Years*	57039080
950 g/m²	3-4 l/m²	100% nitrile rubber	Kleeted/Flat	1.8 mm	2.2 kg/m <sup>2</sup>	Optional	20 mm	2.8 mm	Up to 60°c	Up to 60°c	Vacuum	-	-	-	Yes	Yes	5 Years*	57032999
1000 g/m <sup>2</sup>	4-51/m <sup>2</sup>	100% nitrile rubber	Flat	1.8 mm	2.3 kg/m <sup>2</sup>	Standard	20 mm	3.6 mm	-	Layflat	Vacuum/	-	-		Yes	Yes	5 Years	56031490
		(15% recycled)									Steam Clean	l	L	L				

				Specification		Materials		Certif	ication	Details			
Product Name	Outdoor Use	Eco Properties	Max Width	Max Length	Insert Depth	Insert Construction	Grid Construction	Fire Rating	Slip Resistance	Cleaning	Production	Guarantee	
Kleen-Fit System Brush	-	N.	No Limit	No Limit	12/17/22 mm	Looped polypropylene	Aluminium with stainless steel wire	CFL-s1	R12	Vacuum/ Steam Clean	Made in Europe	3 Years	
Kleen-Fit System Ribbed	Yes	N.	No Limit	No Limit	12/17/22 mm	Hard rubber	Aluminium with stainless steel wire	CFL-s1	R12	Vacuum/ Steam Clean	Made in Europe	3 Years	
Kleen-Fit System Scrub	Yes	Y	No Limit	NoLimit	12/17/22 mm	Rigid polyamid (6.6) tufts	Aluminium with stainless steel wire	CFL-s1	R12	Vacuum/ Steam Clean	Made in Europe	3 Years	

#### Appendix

- 5 Year Manufacturers Guarantee or 2 years under industrial laundry conditions
   \*\* Widths up to 200cm available in Granite and Midnight Grey. Maximum width of 150cm available in Black Pearl, Black Steel and Black Cedar.
- \*Kleen-Tile:
   Slip Resistance conforms to DIN 51067: A + B + C and DIN EN 13451/15288-1:26\*

   \*Kleen-Wave:
   Temperature Resistance: -35°c to +70°c (-31°F + 158°F).

   Slip Resistance: DIN 51097: A+B+C | DIN EN 13451/15288-1:30°.
   Emissions: ISO 16000-9: TVOC Class A+

\*\*\*Airline Mat has been issued with CAA certificate: Ref. No. AI/8847/83

\*\*\*\* NAMSA (North American Science Associates) has indicated that Kleen-Thru Plus is rated 0/NZ (no growth, no zone) in the AATCCTM 30, Part 111 test, meaning this mat has an effective fungi static treatment that helps control the bacterial and fungal growth that cause odour in the mat. The anti-microbial treatment is registered in the USA by the Environmental Protection Agency and is bound and non-migrating, which means it is present for the life of the mat and will not used off or rub off even when subjected to prolonged industrial washing. This treatment only protects the Kleen-Thru Plus mat and not the people who are using it.

#### Specifiers Appendix

Kleen-Fit Matrix Tile

Product Name leen-Fit Concourse Tile

Kleen-Fit Guard panel widths up to 400cm are available in anodised finish colours: Black, Medium and Dark Bronze frames. Widths of up to 260cm are available in Light, Medium and Dark Gold and up to 250cm in Gun Metal Grey and up to 160cm in Light Bronze.

Specification

Tile Depth

18 mm

50 x 100 cm 12 mm/18 mm

Tile Weight

13 kg

Tile Size

50 x 100 cm

Dutdoor

Yes

Materials

Insert Material

Polymer enhanced heavy-duty SBR rubber

9 kg/13 kg Nylon Polymer enhanced heavy-duty SBR rubber

Kleen-Fit System products: • are Fire Rated CFL-s1 in accordance with EN 13501-1. • are Slip Resistance class R12 according to DIN 51130-2014 - 02 - aluminium mats. • conform to 48/09/BB91104001 and 48/09/BB91133001 material test reports.

78

Key

Standard Entrance Mats

Fitted Entrance Systems

Workplace Safety Mats

Custom Printed Mats

Anti-Fatigue Mats

Wet Area Mats Transportation Mats

Individual product datasheets along with a PDF version of the table above (which can be enlarged for ease of viewing) are available on the Kleen-Tex Hub. Either scan the QR code to the right or visit www.kleen-tex.co/hub/catalogue

	Certification			Product Details	
Flame Retardancy BS4790	Temperature Resistance	Slip Resistance	Cleaning	Guarantee	Customs Tarriff Number
Low	-20°C - +70°C	TM144 Satra Tested	Vacuum/Steam Clean	1 Year	40169100
Low	-20°C - +70°C	TM144 Satra Tested	Vacuum/Steam Clean	1 Year	57032092

#### The Kleen-Tex Hub



As a leading global manufacturer of floor matting systems, we understand our responsibility to continuously improve the sustainability of our products and operations.

# **Procuring Recycled Materials**

Whilst procuring recycled materials for our products is essential, we are also developing end of life options for our products across all Kleen-Tex home and commercial brands.

For example, our solid rubber mats can be recrumbed for use in new products to reduce the consumption and processing of new raw materials.

We are also continuously exploring how we can extend our dedicated range of floor matting systems that are manufactured from recycled materials, including 100% ECONYL® regenerated nylon made from post manufacture and post consumer waste.

Our EcoAbsorb product is manufactured from **Renycle™ 50** recycled yarn, which, compared to standard yarn, saves energy, reduces CO<sub>2</sub> emissions, reduces water consumption and reduces waste material during production.

Our EcoAbsorb floor matting system also dries 37% faster than a cotton mat, saving valuable energy, time and money during laundry cycles.

In some products we utilise fabric constructed from 100% recycled PET plastic bottles and nitrile rubber with 15% recycled content.

# **Reducing Our Carbon Footprint**

We are also undertaking a series of initiatives as part of our commitment to minimising our carbon footprint.

From a logistics perspective, we are proactively consolidating our deliveries with the aim of sending full truckloads to eliminate any empty shipping space. We have also implemented reduced travel frequency for staff, with increased use of conference call technology and working from home with virtual offices.


Wherever possible, we're reducing waste across global operations, recycling at every opportunity and sourcing from suppliers within the same region.

# Adopting efficient processes

ISO 14001:2015 is implemented throughout all aspects of our operations and we are continuously identifying how we can increase our operational efficiencies across all aspects of our business.


This includes a reduction in packaging and pallet use, the introduction of recyclable packaging and increasing our use of renewable energy throughout our supply chain.


We aim to recycle 100% of post manufactured waste by 2025 globally and are currently achieving 88% of our target.



Our entire production process, from tufting to bonding, takes place at our manufacturing location in Poland, which means that we have full control over production schedules and can offer fast and accurate delivery timescales to suit all requests.

We have direct links between all our customer sales teams and our production site, allowing for excellent communication and accurate delivery timescales.









## **Versatile Production Capabilities**



#### Accessories

#### Samples, Embossing and Labelling

# **Product Samples**

Whilst every effort has been made to ensure the colours illustrated in this brochure are as accurate as possible, there may be some natural colour distortion during the printing process. We strongly recommend that before ordering you ask to see our colour samples which will allow you to choose from the original colours and see the structure of our pile.



## Labels and Embossing

Kleen-Tex offer a labelling and embossing service for all rubberbacked mats, enabling you to personalise your mats with your company details and messages.

Production of your individual labels or embossing plates takes up to three weeks from design approval.

Minimum order quantity for mats with labels is 250.



**Border Labels** For your website or logo on the front side of the mat.

White Back Labels White stripe on the back of the mat. You can mark them with a waterproof felt pen, to mark inventory numbers or internal information etc.



#### Back Labels

For your company logo, washing instructions, mat descriptions etc. on the back of the mat.



Embossing the back, for example for your company logo etc.

# Velcro


Primary use of velcro is to fix the mats in one place. The hook part should be stuck to the floor where the mat will be placed and the second loop part is integrated on to the mat backing. When you lay out the mat and join the two parts together, the mat will be fixed to the floor. This is a possible solution for mats being used in places where many people and shopping carts pass over the mat. Available in 10 x 10cm squares.



For the storage of specific information about a mat there is also the possibility to integrate data chips.

These will be provided by you and we will incorporate them into the mat during the manufacturing process. To show the position of the data chips externally, we can place an additional label on the mat backing above the chip position.

Data chips are extremely efficient and also especially long lasting. Our sales team will gladly offer further advice.









#### Kleen-Tex Industries Limited Unit 717 Eddington Way, Birchwood Park Warrington WA3 6BA, United Kingdom

www.kleen-tex.co.uk +44 (0)1204 70 50 70 info@kleen-tex.co.uk

#### Kleen-Tex Industries GmbH Kaiser Nordwand - Fürhölzl 2 A-6341 Ebbs / Kufstein, Austria

www.kleen-tex.eu +43 / 53 72 / 61 3 80 info@kleen-tex.eu

Kleen-Tex Polska Sp. z o. o. ul. Fabryczna 5/12 26-130 Suchedniów, Poland www.kleen-tex.pl +48 41 267 25 00 info@kleen-tex.pl



Subscribe to our newsletter here: Stay up to date with future inspiration, news and promotions from Kleen-Tex





